



PTBss

Diamètre M6 à M12

Vis à œil


- Matière :

Inox 316
- Aucun marquage sur le produit

Utilisation

La charge de rupture est obtenue en multipliant la CMU par le coefficient de sécurité 4







REMISES

| | | | 10+ | | | 50+ |
|------|------|-----|------|------|------|-------------|
| Rem. | Prix | -5% | -10% | -15% | -20% | Sur demande |

| Références | ØМ | L | ØA | ØВ | CMU (kg) | Masse (kg) | Stock* | Prix Uni. 1 à 4 |
|--------------|-----|-----|----|----|-------------|---------------|--------|--------------------|
| PTB6-40/SS | M6 | 40 | 12 | 22 | 120 | 0,020 | V | 5,26 € |
| PTB6-60/SS | M6 | 60 | 12 | 22 | 120 | 0,030 | ~ | 5,63 € |
| PTB6-80/SS | M6 | 80 | 12 | 22 | 120 | 0,030 | V | 6,05 € |
| PTB8-60/SS | M8 | 60 | 14 | 26 | 225 | 0,050 | ~ | 7,36 € |
| PTB8-80/SS | M8 | 80 | 14 | 26 | 225 | 0,055 | V | 8,06 € |
| PTB8-100/SS | M8 | 100 | 14 | 26 | 225 | 0,060 | ~ | 8,91 € |
| PTB10-100/SS | M10 | 100 | 16 | 30 | 375 | 0,105 | V | 13,79 € |
| PTB12-120/SS | M12 | 120 | 16 | 35 | 600 | 0,165 | ~ | 21,69 € |

^{*}Dans la limite du disponible - Dimensions en mm - **Sur tarifs 2024





