



# AT-type timing belt



## Pitch AT5

Steel cored polyurethane

- 2<sup>nd</sup> generation metric profile
- Transmits a greater torque
- Pitch 5mm
- Working temp. -30°C to +80°C
- Max. speed 40m/s
- Efficiency: up to 98%
- Oil-resistant
- Low noise
- Resists stretching



### Info.

- When ordering, add the width to the part number.  
E.g.: AT5/525/25

### DISCOUNTS

Qty	1+	6+	20+
Disc.	List	-7%	On request

Part number	Length	No. of teeth	Price each 1 to 5 for widths		
			10mm	16mm	25mm
AT5/225	225	45	16,78 €	24,98 €	34,15 €
AT5/255	255	51	17,21 €	25,28 €	34,38 €
AT5/280	280	56	17,42 €	25,49 €	34,67 €
AT5/300	300	60	17,62 €	25,63 €	34,91 €
AT5/330	330	66	17,72 €	25,95 €	35,54 €
AT5/340	340	68	17,75 €	26,10 €	35,54 €
AT5/375	375	75	18,07 €	26,53 €	36,33 €
AT5/390	390	78	18,17 €	26,82 €	36,68 €
AT5/420	420	84	18,44 €	27,18 €	37,23 €
AT5/450	450	90	18,77 €	27,89 €	37,84 €
AT5/455	455	91	18,85 €	28,01 €	38,10 €
AT5/500	500	100	19,80 €	29,53 €	40,96 €
AT5/525	525	105	20,73 €	31,22 €	43,36 €
AT5/545	545	109	21,34 €	32,42 €	45,36 €
AT5/600	600	120	22,86 €	34,91 €	48,53 €
AT5/610	610	122	23,20 €	35,28 €	49,32 €
AT5/660	660	132	23,83 €	36,33 €	50,91 €
AT5/710	710	142	24,98 €	37,84 €	52,92 €
AT5/720	720	144	25,19 €	38,10 €	53,32 €
AT5/750	750	150	25,49 €	38,92 €	54,10 €
AT5/780	780	156	26,26 €	40,15 €	56,09 €
AT5/825	825	165	27,08 €	41,76 €	58,09 €
AT5/860	860	172	27,73 €	42,96 €	60,11 €
AT5/975	975	195	30,07 €	46,95 €	66,09 €
AT5/1050	1050	210	32,24 €	50,13 €	70,43 €
AT5/1125	1125	225	33,51 €	52,49 €	74,42 €
AT5/1500	1500	300	40,15 €	64,07 €	92,36 €
AT5/2000	2000	400	56,09 €	86,79 €	122,64 €


Dimensions en mm

## Our other products



GG1

Ground spur gear,  
Heat treated steel



T5courroie

T type timing belt, T5  
Steel cored  
polyurethane



BEAB

Knob star grip  
antibacterial, Star,  
anti-bacterial



CHM40

Worm and wheel gear  
reducer, up to 57 Nm



WBGV

Lifting ring, Threaded



F7-P-AM

Multifunction display,  
Magnetic band



T2,5-BAR

T type tooth bar  
stock, T2.5



PRF-GPA

Guide for aluminium  
profile, Parallel rails




CTss

Universal joint,  
telescopic, Inox, Light



NPTF20

Spacer for tube  
carrier, Fixing



RDE-W

Sealing washer  
Hygienic Usit®



WJUM10

Drylin® W bearing  
block, Slide

## Complementary products



GTC

Belt tensioner, For  
standard applications



AT5-10ECO

AT type timing pulley,  
Economy range - AT5  
aluminium



AT5-BAR

AT type tooth bar  
stock, AT5