

# Spring plunger with internal hexagonal socket

With pressure pin

**BSM**  
**BSMP**  
**BSMss**

- Three versions to choose from

- Materials:

Body: blackened steel (class 5.8) or stainless steel (303)

Pin: steel, stainless steel or plastic



Steel body and pin




Steel body plastic pin



Stainless steel body and pin

## Uses

- Locating
- Retaining



## DISCOUNTS

Qty	1+	6+	20+	50+	100+	250+	400+
Disc. List	-5%	-10%	-15%	-30%	-50%	On request	

Part number	ØD	ØD1	L	H	T	T1	N	S	Pressure (N)		Price each 1 to 5	
									F1 initial	F2 final		
<b>Steel body / steel pin</b>												
BSM3	M3	1,0	10	1,5	1,5	1,0	0,4	0,7	0,5	3	✓	9,01 €
BSM4	M4	1,5	15	1,5	2,0	0,6	0,6	1,3	5	16	✓	6,91 €
BSM5	M5	2,4	18	2,3	2,0	0,8	0,8	1,5	6	20	✓	6,73 €
BSM6	M6	2,7	20	2,5	2,5	1,0	1,0	2,0	7	20	✓	6,97 €
BSM8	M8	3,5	22	3,0	3,0	1,4	1,2	2,5	9	35	✓	8,22 €
BSM10	M10	4,0	22	3,0	3,5	1,4	1,6	3,0	9	35	✓	9,20 €
BSM12	M12	6,0	28	4,0	5,0	2,0	2,0	4,0	10	55	✓	12,02 €
BSM16	M16	7,5	32	5,0	6,0	2,5	2,5	5,0	45	100	✓	13,27 €
BSM20	M20	10,0	40	7,0	8,0	3,0	2,5	6,0	60	120	✓	15,70 €
BSM24	M24	12,0	52	10,0	10,0	3,0	2,5	8,0	80	160	-	25,28 €
<b>Steel body / plastic pin</b>												
BSM4P	M4	1,5	15	1,5	2,0	1,0	0,6	1,3	5	16	✓	8,03 €
BSM5P	M5	2,4	18	2,3	2,0	0,6	0,8	1,5	6	20	✓	7,83 €
BSM6P	M6	2,7	20	2,5	2,5	0,8	1,0	2,0	7	20	✓	8,03 €
BSM8P	M8	3,5	22	3,0	3,0	1,0	1,2	2,5	9	35	✓	9,36 €
BSM10P	M10	4,0	22	3,0	3,5	1,4	1,6	3,0	9	35	-	11,20 €
BSM12P	M12	6,0	28	4,0	5,0	1,4	2,0	4,0	10	55	-	14,15 €
BSM16P	M16	7,5	32	5,0	6,0	2,0	2,5	5,0	45	100	-	17,30 €
<b>Stainless steel body / stainless steel pin</b>												
BSM5SS	M5	2,4	18	2,3	2,0	0,8	0,8	1,5	5	17	✓	19,83 €
BSM6SS	M6	2,7	20	2,5	2,5	1,0	1,0	2,0	6	17	✓	19,78 €
BSM8SS	M8	3,5	22	3,0	3,0	1,4	1,2	2,5	7	29	✓	22,03 €
BSM10SS	M10	4,0	22	3,0	3,5	1,4	1,6	3,0	8	31	✓	30,06 €
BSM12SS	M12	6,0	28	4,0	5,0	2,0	2,0	4,0	10	47	✓	40,70 €

\*Depending on availability - Dimensions in mm

## Our other products



CDC

Conical compression spring, Conical



BOXKU

Boxed set of half round (Woodruff) keys NFE22179, Boxed set of half ...



TCC\_SS

Stainless steel rigging screw (hook/hook), Stainless steel



TBEBASE10

Economic mini-table with trapezoidal lead screw, 1kg



CLM

Male clevis end, Stainless steel short



PVL

Small lobed handle, Polyamide



MHWC

Double-disc flexible coupling, Double disk



DKN

Bellows coupling Gerwah®, from 0.4 to 10Nm



ACL-FPA

Panel mounting block for aluminium structures, Angular connector



CLG2

Moulded plastic spur gear, Moulded plastic (nylon)



CLLCLLP

Clevis components, long version, Steel - long range



HRV

V-rail guidance Simple Select® system, Rail with carriage

## Complementary products



BSM

Spring plunger with internal hexagonal socket, steel body and pin



BSM\_LOK

Long-Lok spring plunger with internal hexagonal socket, LONG-LOK - s...



BSM\_LOK

Long-Lok spring plunger with internal hexagonal socket, LONG-LOK - s...



BSM

Spring plunger with internal hexagonal socket, steel body, plastic pin