

CQA


Load 180N

- **Adjustment slide-system with dovetail joint**

- Allows backlash-free adjustment for exact positioning and fixing.
- Several tables can be combined by using the connecting sets XY and XZ (adjustment screw Torx T7 M3x9 provided with the sets)

-Material:

anodised aluminium without colorisation





Advantages

- Small footprint
- Backlash-free slide, axial or radial offset $\leq 3 \mu\text{m}$.
- Combination possible on different high speed shafts
- Micrometer scale

Use

- Positioning of cameras, microscopes, laser heads
- 3D measurements
- Burner focusing
- Fine adjustment of brazing/welding heads





DISCOUNTS

Qty	1+	2+	3+
Disc. Price	-15%	-15%	On request

Part number	Stroke L	Stroke C	F (N)	Maximum loads			Weight (g)	Price per unit
				Mx (Nm)	My (Nm)	Mz (Nm)		
Adjustable slide								
CQA20-5	30	5	180	0.45	2.0	0.30	30	535,50 €
CQA20-10	35	10	180	0.45	2.0	0.30	30	517,05 €
CQA20-20	45	20	180	0.45	2.0	0.30	30	550,89 €
Accessories								
CQA20-XY	Connection set XY							35,39 €
CQA20-XZ	Connection set XZ							43,07 €


Dimensions in mm

Adjustment slide-system - **Miniature** size 30

CQA

Load 350N

- **Adjustment slide-system with dovetail joint**
- Allows backlash-free adjustment for exact positioning and fixing.
- Several tables can be combined by using the connecting sets XY and XZ (adjustment screw Torx T9 M3x9 provided with the sets)
- Material:
anodised aluminium without colorisation




Advantages

- Small footprint
- Backlash-free slide, axial or radial offset $\leq 3 \mu\text{m}$.
- Combination possible on different high speed shafts
- Micrometer scale

Use


- Positioning of cameras, microscopes, laser heads
- 3D measurements
- Burner focusing
- Fine adjustment of brazing/welding heads



adjusting
screw

kit XY, XZ

Assembly example



DISCOUNTS

Qty	1+	2+	3+
Disc. Price	-15%	On request	

Part number	Stroke L	Stroke C	F (N)	Maximum loads			Weight (g)	Price per unit
				Mx (Nm)	My (Nm)	Mz (Nm)		
Adjustable slide								
CQA30-5	40	5	350	1.10	4.00	1.00	50	575,52 €
CQA30-10	45	10	350	1.10	4.00	1.00	60	584,75 €
CQA30-20	55	20	350	1.10	4.00	1.00	60	576,50 €
Accessories								
CQA30-XY	Connection set XY							35,39 €
CQA30-XZ	Connection set XZ							49,24 €

Dimensions in mm