

Lockable indexing plunger



DIV

Threaded body M12-M20X1.5

- With revolving latch

- Materials:

Body: Blackened steel (class 5.8)

Handle: Powder coated steel

Pin: Hardened steel

- Locking nut supplied

Turn to unlock




Uses

- Indexing plungers are used when the indexing pin must be fully retracted.

- Turn the lever through 180°

to insert the plunger

- A small pin allows blocking in the open position



DISCOUNTS

Qty	1+	6+	20+
Disc.	List	-10%	On request

Part number	ØD1	ØD	ØD2	L	L2	L3	B	B1	H	SW	Fx30°	Spring strength		Stock*	Price each 1 to 5
												initial F(N)	final F2(N)		
DIV12-5	M12	5	46,8	30	25	25	10,8	3,6	8	19	1,3	8	15	✓	15,14 €
DIV12x1.5-5	M12x1.5	5	46,8	30	25	25	10,8	3,6	8	19	1,3	8	15	-	15,14 €
DIV12-6	M12	6	46,8	30	25	25	10,8	3,6	8	19	1,8	8	15	✓	15,14 €
DIV12x1.5-6	M12x1.5	6	46,8	30	25	25	10,8	3,6	8	19	1,8	8	15	-	15,14 €
DIV12-8	M12	8	46,8	30	25	25	10,8	3,6	8	19	2,3	8	15	✓	15,14 €
DIV12x1.5-8	M12x1.5	8	46,8	30	25	25	10,8	3,6	8	19	2,3	8	15	-	15,14 €
DIV16-6	M16	6	60,4	40	32	32	14,4	4,8	10	24	1,8	15	35	✓	18,14 €
DIV16x1.5-6	M16x1.5	6	60,4	40	32	32	14,4	4,8	10	24	1,8	15	35	-	18,14 €
DIV16-8	M16	8	60,4	40	32	32	14,4	4,8	10	24	2,3	15	35	✓	18,14 €
DIV16x1.5-8	M16x1.5	8	60,4	40	32	32	14,4	4,8	10	24	2,3	15	35	-	18,14 €
DIV16-10	M16	10	60,4	40	32	32	14,4	4,8	10	24	2,8	15	35	✓	18,14 €
DIV16x1.5-10	M16x1.5	10	60,4	40	32	32	14,4	4,8	10	24	2,8	15	35	-	18,14 €
DIV20-8	M20	8	70,0	50	35	35	18,0	6,0	12	30	2,3	20	60	-	20,71 €
DIV20x1.5-8	M20x1.5	8	70,0	50	35	35	18,0	6,0	12	30	2,3	20	60	-	20,71 €
DIV20-10	M20	10	70,0	50	35	35	18,0	6,0	12	30	2,8	20	60	✓	20,71 €
DIV20x1.5-10	M20x1.5	10	70,0	50	35	35	18,0	6,0	12	30	2,8	20	60	-	20,71 €
DIV20-12	M20	12	70,0	50	35	35	18,0	6,0	12	30	3,0	20	60	✓	20,71 €
DIV20x1.5-12	M20x1.5	12	70,0	50	35	35	18,8	6,0	12	30	3,0	20	60	-	20,71 €

*Subject to availability - Dimensions in mm