Extension springs DIN 2097

ET Ø0,5-Ø0,8


Stainless steel piano wire

- ***Materials:***
  Piano springs: Stainless steel conforming to DIN17224, Stainless steel 1.4310 (301)
- *Ends: Closed German loops conforming to DIN 2097. Position may vary.*
- *Tolerances: All the dimensions and load values given conform to DIN2097 (Grade 2)*
- *Initial tension Fo = Max load x 0.08*
- *These springs are recommended for static or medium dynamic loads*



Info.

- *Springs should not be stretched greater than the maximum elongation value or permanent damage may result.*
- *For custom made springs, please contact us (Minimum quantity may apply)*



DISCOUNTS

Qty	1+	5+	25+	50+	100+
Disc.	List	-10%	-20%	-30%	On request

Part number	Wire Ød	External Ø D0	Free length L0	Rate C N/mm	Max. deflection (mm)	Max. load (N)	Stock*	Price each 1 to 4
ET4080	0,50	2,50	7,90	6,85	1,70	14,00	✔	12,01 €
ET4081	0,50	2,50	10,90	4,28	2,70	14,00	-	12,01 €
ET4082	0,50	2,50	15,40	2,74	4,30	14,00	-	12,01 €
ET4083	0,50	3,50	9,50	2,02	4,30	10,00	✔	12,01 €
ET4084	0,50	3,50	12,50	1,26	6,90	10,00	✔	12,01 €
ET4085	0,50	3,50	17,00	0,81	10,80	10,00	-	12,01 €
ET4086	0,50	3,50	24,50	0,51	17,30	10,00	✔	12,01 €
ET4087	0,50	3,50	290,00	0,04	210,00	10,00	-	12,01 €
ET4088	0,50	5,50	12,70	0,44	13,10	7,00	✔	12,01 €
ET4089	0,50	5,50	15,70	0,27	20,90	7,00	✔	13,15 €
ET4090	0,50	5,50	20,20	0,18	32,70	7,00	✔	12,01 €
ET4091	0,50	5,50	27,70	0,11	52,30	7,00	✔	12,01 €
ET4092	0,50	5,50	37,70	0,08	78,40	7,00	✔	12,01 €

**Depending on availability - Dimensions in mm*

Part number	Wire Ød	External Ø D0	Free length L0	Rate C N/mm	Max. deflection (mm)	Max. load (N)	Stock*	Price each 1 to 4
ET4093	0,55	2,80	8,80	7,03	2,00	16,00	-	13,97 €
ET4094	0,55	2,80	12,10	4,39	3,20	16,00	-	13,97 €
ET4095	0,55	2,80	17,00	2,81	5,00	16,00	-	13,97 €
ET4096	0,55	3,50	9,90	3,12	3,70	13,00	-	13,97 €
ET4097	0,55	3,50	13,20	1,95	5,90	13,00	-	13,97 €
ET4098	0,55	3,50	18,10	1,25	9,20	13,00	-	13,97 €
ET4099	0,55	3,50	26,40	0,77	14,70	13,00	-	13,97 €
ET4100	0,55	6,00	13,90	0,50	14,10	8,00	✔	13,97 €
ET4101	0,55	6,00	17,20	0,31	22,50	8,00	✔	13,97 €
ET4102	0,55	6,00	22,10	0,20	35,10	8,00	✔	13,97 €
ET4103	0,55	6,00	30,40	0,13	56,20	8,00	✔	13,97 €
ET4104	0,55	6,00	41,40	0,09	84,30	8,00	✔	13,38 €
ET4105	0,63	3,00	9,00	10,39	1,92	25,90	-	13,38 €
ET4106	0,63	3,00	13,50	6,45	3,00	22,00	-	13,38 €
ET4107	0,63	3,00	19,20	4,13	4,60	22,00	-	13,38 €
ET4108	0,63	4,50	12,10	2,38	5,70	15,00	✔	13,38 €
ET4109	0,63	4,50	15,90	1,49	9,00	15,00	✔	13,38 €
ET4110	0,63	4,50	21,60	0,95	14,11	15,00	✔	13,38 €
ET4111	0,63	4,50	31,00	0,60	22,60	15,00	✔	13,38 €
ET4112	0,63	7,00	16,10	0,53	16,60	10,00	✔	13,38 €
ET4113	0,63	7,00	19,90	0,33	26,60	10,00	✔	13,38 €
ET4114	0,63	7,00	25,60	0,21	41,60	10,00	✔	13,38 €
ET4115	0,63	7,00	35,00	0,14	66,50	10,00	✔	13,38 €
ET4116	0,63	7,00	47,60	0,09	99,70	10,00	✔	13,38 €
ET4117	0,70	3,50	11,10	9,53	2,40	26,00	-	13,38 €
ET4118	0,70	3,50	15,30	5,97	3,80	26,00	-	13,38 €
ET4119	0,70	3,50	21,60	3,81	5,90	26,00	-	13,38 €
ET4120	0,70	5,00	13,50	2,64	6,30	19,00	-	13,38 €
ET4121	0,70	5,00	17,70	1,65	10,00	19,00	✔	13,38 €
ET4122	0,70	5,00	24,00	1,06	15,60	19,00	-	13,38 €
ET4123	0,70	5,00	34,50	0,66	25,00	19,00	✔	13,38 €
ET4124	0,70	7,50	17,50	0,67	16,90	13,00	✔	13,38 €
ET4125	0,70	7,50	21,70	0,42	27,00	13,00	✔	13,38 €
ET4126	0,70	7,50	28,00	0,27	42,20	13,00	✔	13,97 €
ET4127	0,70	7,50	38,50	0,17	67,50	13,00	✔	13,97 €
ET4128	0,70	7,50	52,50	0,11	101,00	13,00	✔	13,97 €
ET4129	0,80	4,00	12,60	10,91	2,70	34,00	✔	13,38 €
ET4130	0,80	4,00	17,40	6,87	4,30	34,00	-	13,38 €
ET4131	0,80	4,00	24,60	4,38	6,70	34,00	-	13,38 €
ET4132	0,80	5,50	15,00	3,44	6,40	26,00	✔	13,38 €
ET4133	0,80	5,50	19,80	2,15	10,20	26,00	✔	13,38 €
ET4134	0,80	5,50	27,00	1,37	16,00	26,00	✔	13,38 €
ET4135	0,80	5,50	39,00	0,86	25,60	26,00	✔	13,38 €
ET4136	0,80	5,50	290,000	0,09	225,00	26,00	✔	17,76 €

*Depending on availability - Dimensions in mm

Extension springs DIN 2097

ET Ø0,8-Ø1

Stainless steel piano wire


- ***Materials:***
  Piano springs: Stainless steel conforming to DIN17224, Stainless steel 1.4310 (301)
- *Ends: Closed German loops conforming to DIN 2097. Position may vary.*
- *Tolerances: All the dimensions and load values given conform to DIN2097 (Grade 2)*
- *Initial tension Fo = Max load x 0.08*
- *These springs are recommended for static or medium dynamic loads*

stainless steel



Info.

- *Springs should not be stretched greater than the maximum elongation value or permanent damage may result.*
- *For custom made springs, please contact us (Minimum quantity may apply)*



100+ pieces Contact us.

DISCOUNTS

Qty	1+	5+	25+	50+	100+
Disc.	List	-10%	-20%	-30%	On request

Part number	Wire Ød	External Ø D0	Free length L0	Rate C N/mm	Max. deflection (mm)	Max. load (N)	Stock*	Price each 1 to 4
ET4137	0,80	9,00	20,60	0,65	21,40	16,00	✔	12,81 €
ET4138	0,80	9,00	25,40	0,40	34,30	16,00	✔	12,81 €
ET4139	0,80	9,00	32,60	0,26	53,50	16,00	✔	12,81 €
ET4140	0,80	9,00	44,60	0,16	85,60	16,00	✔	12,81 €
ET4141	0,80	9,00	60,60	0,11	128,00	16,00	✔	13,38 €
ET4142	0,90	4,50	14,20	12,28	3,00	42,00	-	13,38 €
ET4143	0,90	4,50	19,60	7,70	4,70	42,00	-	13,38 €
ET4144	0,90	4,50	27,70	4,92	7,40	42,00	-	13,38 €
ET4145	0,90	6,30	17,10	3,63	7,40	31,00	-	13,38 €
ET4146	0,90	6,30	22,50	2,28	11,90	31,00	-	13,38 €
ET4147	0,90	6,30	30,60	1,46	18,60	31,00	-	13,38 €
ET4148	0,90	6,30	44,10	0,91	29,70	31,00	✔	13,38 €
ET4149	0,90	10,00	23,00	0,76	23,10	20,00	✔	13,38 €
ET4150	0,90	10,00	28,40	0,47	36,90	20,00	✔	13,38 €
ET4151	0,90	10,00	36,50	0,30	57,60	20,00	✔	13,38 €
ET4152	0,90	10,00	50,00	0,20	92,20	20,00	✔	13,38 €
ET4153	0,90	10,00	68,00	0,13	138,00	20,00	✔	13,38 €
ET4154	1,00	5,00	15,80	13,66	3,30	51,00	-	11,64 €
ET4155	1,00	5,00	21,80	8,50	5,20	51,00	✔	11,64 €
ET4156	1,00	5,00	30,80	5,47	8,10	51,00	✔	11,64 €
ET4157	1,00	7,00	19,00	4,05	8,20	38,00	✔	11,64 €
ET4158	1,00	7,00	25,00	2,53	13,10	38,00	✔	11,64 €
ET4159	1,00	7,00	34,00	1,57	20,40	38,00	✔	11,64 €

**Depending on availability - Dimensions in mm*

Extension springs DIN 2097


Stainless steel piano wire

ET Ø1-Ø1,1

- ***Materials:***
  Piano springs: Stainless steel conforming to DIN17224, Stainless steel 1.4310 (301)
- *Ends: Closed German loops conforming to DIN 2097. Position may vary.*
- *Tolerances: All the dimensions and load values given conform to DIN2097 (Grade 2)*
- *Initial tension Fo = Max load x 0.08*
- *These springs are recommended for static or medium dynamic loads*


stainless steel

25+ pieces Contact us.



Info.

- *Springs should not be stretched greater than the maximum elongation value or permanent damage may result.*
- *For custom made springs, please contact us (Minimum quantity may apply)*



DISCOUNTS

Qty	1+	5+	10+	25+
Disc.	List	-5%	-20%	On request

Part number	Wire Ød	External Ø D0	Free length L0	Rate C N/mm	Max. deflection (mm)	Max. load (N)	Stock*	Price each 1 to 4
ET4160	1,00	7,00	49,00	1,01	32,70	38,00	-	8,69 €
ET4161	1,00	7,00	290,00	0,16	220,00	38,00	-	8,68 €
ET4162	1,00	11,00	25,40	0,88	24,80	25,00	✔	8,69 €
ET4163	1,00	11,00	31,40	0,55	39,60	25,00	✔	8,69 €
ET4164	1,00	11,00	40,40	0,35	61,90	25,00	✔	8,69 €
ET4165	1,00	11,00	55,40	0,22	99,00	25,00	✔	8,69 €
ET4166	1,00	11,00	75,40	0,15	149,00	25,00	✔	8,69 €
ET4167	1,10	5,50	17,40	15,03	3,50	61,00	-	8,69 €
ET4168	1,10	5,50	24,00	9,45	5,70	61,00	-	8,69 €
ET4169	1,10	5,50	33,90	6,01	8,80	61,00	-	8,69 €
ET4170	1,10	7,50	20,60	4,89	8,30	47,00	-	8,69 €
ET4171	1,10	7,50	27,20	3,05	13,30	47,00	✔	8,69 €
ET4172	1,10	7,50	37,10	1,96	20,80	47,00	✔	8,69 €
ET4173	1,10	7,50	53,60	1,22	33,20	47,00	-	8,69 €

**Depending on availability - Dimensions in mm*

Tel. +33(0)4 37 496 496 **cial2@hpceurope.com**

Extension springs DIN 2097

ET Ø1,1-Ø1,8


Stainless steel piano wire

- ***Materials:***
  Piano springs: Stainless steel conforming to DIN17224, Stainless steel 1.4310 (301)
- *Ends: Closed German loops conforming to DIN 2097. Position may vary.*
- *Tolerances: All the dimensions and load values given conform to DIN2097 (Grade 2)*
- *Initial tension Fo = Max load x 0.08*
- *These springs are recommended for static or medium dynamic loads*



Info.

- *Springs should not be stretched greater than the maximum elongation value or permanent damage may result.*
- *For custom made springs, please contact us (Minimum quantity may apply)*



DISCOUNTS

Qty	1+	5+	10+	25+
Disc.	List	-5%	-20%	On request

Part number	Free Wire Ød	Rate Ø D0	Max length L0	Max C N/mm	deflection (mm)	load (N)	Stock*	Price each 1 to 4
ET4174	1,10	12,00	27,80	0,99	26,40	30,00	-	8,69 €
ET4175	1,10	12,00	34,40	0,62	42,30	30,00	✔	8,69 €
ET4176	1,10	12,00	44,30	0,40	66,10	30,00	✔	8,69 €
ET4177	1,10	12,00	60,80	0,24	106,00	30,00	✔	8,69 €
ET4178	1,10	12,00	82,80	0,17	159,00	30,00	✔	8,69 €
ET4179	1,20	6,00	19,00	16,40	3,80	72,00	-	8,69 €
ET4180	1,20	6,00	26,20	10,31	6,10	72,00	-	8,69 €
ET4181	1,20	6,00	37,00	6,55	9,50	72,00	-	8,69 €
ET4182	1,20	8,50	23,00	4,66	9,90	53,00	✔	9,52 €
ET4183	1,20	8,50	30,20	2,91	15,80	53,00	✔	9,52 €
ET4184	1,20	8,50	41,00	1,86	24,60	53,00	✔	9,52 €
ET4185	1,20	8,50	59,00	1,16	39,60	53,00	-	9,52 €
ET4186	1,20	8,50	290,00	0,21	225,00	53,00	-	9,52 €

**Depending on availability - Dimensions in mm*

Part number	Free Wire Ød	Rate Ø D0	Max length L0	Max C N/mm	deflection (mm)	load (N)	Stock*	Price each 1 to 4
ET4187	1,20	13,00	30,20	1,10	27,90	36,00	-	9,52 €
ET4188	1,20	13,00	37,40	0,69	44,70	36,00	-	9,52 €
ET4189	1,20	13,00	48,20	0,44	69,80	36,00	✔	9,52 €
ET4190	1,20	13,00	66,20	0,27	112,00	36,00	✔	9,52 €
ET4191	1,20	13,00	90,20	0,18	168,00	36,00	-	9,52 €
ET4192	1,40	7,00	22,10	19,15	4,40	95,00	-	9,52 €
ET4193	1,40	7,00	30,50	11,94	7,00	95,00	-	9,52 €
ET4194	1,40	7,00	43,10	7,65	10,90	95,00	✔	9,52 €
ET4195	1,40	10,00	26,90	5,27	11,60	70,00	-	9,52 €
ET4196	1,40	10,00	35,30	3,29	18,50	70,00	-	9,52 €
ET4197	1,40	10,00	47,90	2,11	28,90	70,00	✔	9,52 €
ET4198	1,40	10,00	68,90	1,32	46,20	70,00	-	9,52 €
ET4199	1,40	10,00	290,00	0,27	220,00	70,00	-	9,52 €
ET4200	1,40	15,00	34,90	1,33	31,20	48,00	-	9,52 €
ET4201	1,40	15,00	43,30	0,83	50,00	48,00	✔	9,52 €
ET4202	1,40	15,00	55,90	0,53	78,10	48,00	✔	9,52 €
ET4203	1,40	15,00	76,90	0,33	125,00	48,00	✔	9,52 €
ET4204	1,40	15,00	105,00	0,22	187,00	48,00	✔	10,10 €
ET4205	1,60	8,00	25,30	21,82	4,90	122,00	-	9,52 €
ET4206	1,60	8,00	34,90	13,66	7,80	122,00	-	9,52 €
ET4207	1,60	8,00	49,30	8,76	12,20	122,00	✔	9,52 €
ET4208	1,60	11,00	30,10	6,91	11,70	93,00	-	9,52 €
ET4209	1,60	11,00	39,70	4,31	18,70	93,00	-	9,52 €
ET4210	1,60	11,00	54,10	2,77	29,30	93,00	✔	9,52 €
ET4211	1,60	11,00	78,10	1,73	46,80	93,00	✔	9,52 €
ET4212	1,60	17,00	39,70	1,56	34,30	63,00	-	9,05 €
ET4213	1,60	17,00	49,30	0,98	54,80	63,00	4	9,05 €
ET4214	1,60	17,00	63,70	0,63	85,60	63,00	-	9,05 €
ET4215	1,60	17,00	87,70	0,40	137,00	63,00	✔	9,05 €
ET4216	1,60	17,00	120,00	0,26	205,00	63,00	-	9,05 €
ET4217	1,80	9,00	28,40	24,56	5,40	152,00	-	9,05 €
ET4218	1,80	9,00	39,20	15,29	8,60	152,00	-	9,05 €
ET4219	1,80	9,00	55,40	9,88	13,40	152,00	-	9,05 €
ET4220	1,80	12,00	33,20	8,67	11,90	119,00	-	9,05 €
ET4221	1,80	12,00	44,00	5,39	19,00	119,00	✔	9,05 €
ET4222	1,80	12,00	60,20	3,45	29,70	119,00	✔	9,05 €
ET4223	1,80	12,00	87,20	2,16	47,60	119,00	✔	9,05 €
ET4224	1,80	12,00	290,00	0,58	175,00	119,00	-	9,05 €
ET4225	1,80	20,00	46,00	1,53	41,90	73,00	-	9,05 €
ET4226	1,80	20,00	56,80	0,95	67,00	73,00	✔	9,05 €
ET4227	1,80	20,00	73,00	0,61	105,00	73,00	✔	9,29 €
ET4228	1,80	20,00	100,00	0,38	167,00	73,00	-	9,60 €
ET4229	1,80	20,00	136,00	0,25	251,00	73,00	-	9,60 €

*Depending on availability - Dimensions in mm

Extension springs DIN 2097

ET Ø2-Ø3,2


Stainless steel piano wire

- ***Materials:***
  Piano springs: Stainless steel conforming to DIN17224, Stainless steel 1.4310 (301)
- *Ends: Closed German loops conforming to DIN 2097. Position may vary.*
- *Tolerances: All the dimensions and load values given conform to DIN2097 (Grade 2)*
- *Initial tension Fo = Max load x 0.08*
- *These springs are recommended for static or medium dynamic loads*



Info.

- *Springs should not be stretched greater than the maximum elongation value or permanent damage may result.*
- *For custom made springs, please contact us (Minimum quantity may apply)*



DISCOUNTS

Qty	1+	5+	10+	25+
Disc.	List	-5%	-20%	On request

Part number	Free Wire Ød	Rate Ø D0	Max length L0	Max C N/mm	deflection (mm)	load (N)	Stock*	Price each 1 to 4
ET4230	2,00	10,00	31,60	27,31	5,90	185,00	✔	8,94 €
ET4231	2,00	10,00	43,60	17,09	9,40	185,00	-	8,94 €
ET4232	2,00	10,00	61,60	10,99	14,70	185,00	✔	8,94 €
ET4233	2,00	14,00	38,00	8,09	14,70	138,00	-	8,94 €
ET4234	2,00	14,00	50,00	5,05	23,60	138,00	-	8,94 €
ET4235	2,00	14,00	68,00	3,24	36,90	138,00	✔	8,94 €
ET4236	2,00	14,00	98,00	2,02	59,00	138,00	-	8,94 €
ET4237	2,00	22,00	50,80	1,74	44,70	90,00	-	9,10 €
ET4238	2,00	22,00	62,80	1,09	71,50	90,00	✔	9,10 €
ET4239	2,00	22,00	80,80	0,70	112,00	90,00	-	9,64 €
ET4240	2,00	22,00	111,00	0,44	179,00	90,00	✔	9,64 €
ET4241	2,00	22,00	151,00	0,29	268,00	90,00	-	9,89 €

**Depending on availability - Dimensions in mm*

Part number	Free Wire Ød	Rate Ø D0	Max length L0	Max C N/mm	deflection (mm)	load (N)	Stock*	Price each 1 to 4
ET4242	2,20	11,00	34,80	30,06	6,30	220,00	-	9,10 €
ET4243	2,20	11,00	48,00	18,81	10,10	220,00	-	9,10 €
ET4244	2,20	11,00	67,80	12,02	15,80	220,00	-	9,10 €
ET4245	2,20	15,00	41,20	9,79	14,80	168,00	✔	9,10 €
ET4246	2,20	15,00	54,40	6,10	23,70	168,00	✔	9,10 €
ET4247	2,20	15,00	74,20	3,91	37,00	168,00	-	9,10 €
ET4248	2,20	15,00	107,00	2,44	59,20	168,00	✔	9,64 €
ET4249	2,20	24,00	55,60	1,98	47,10	108,00	-	9,64 €
ET4250	2,20	24,00	68,80	1,24	75,30	108,00	-	9,64 €
ET4251	2,20	24,00	88,60	0,79	118,00	108,00	✔	9,64 €
ET4252	2,20	24,00	122,00	0,50	188,00	108,00	✔	9,64 €
ET4253	2,20	24,00	166,00	0,33	282,00	108,00	-	10,22 €
ET4254	2,50	13,00	40,30	29,46	7,80	270,00	-	9,64 €
ET4255	2,50	13,00	55,30	18,47	12,50	270,00	-	9,64 €
ET4256	2,50	13,00	77,80	11,77	19,60	270,00	-	9,64 €
ET4257	2,50	18,00	48,30	9,19	18,90	200,00	-	9,64 €
ET4258	2,50	18,00	63,30	5,73	30,30	200,00	✔	9,64 €
ET4259	2,50	18,00	85,80	3,67	47,30	200,00	✔	9,64 €
ET4260	2,50	18,00	123,00	2,29	75,70	200,00	-	9,64 €
ET4261	2,50	28,00	64,30	2,05	55,60	133,00	-	10,17 €
ET4262	2,50	28,00	79,30	1,29	88,90	133,00	-	10,17 €
ET4263	2,50	28,00	102,00	0,82	139,00	133,00	-	10,17 €
ET4264	2,50	28,00	139,00	0,52	222,00	133,00	-	10,43 €
ET4265	2,50	28,00	189,00	0,34	333,00	133,00	-	10,79 €
ET4266	2,80	14,00	44,20	38,31	7,70	340,00	-	10,17 €
ET4267	2,80	14,00	61,00	23,96	12,20	340,00	-	10,17 €
ET4268	2,80	14,00	86,20	15,37	19,10	340,00	-	10,17 €
ET4269	2,80	20,00	53,80	10,56	20,30	250,00	-	10,17 €
ET4270	2,80	20,00	70,60	6,60	32,40	250,00	✔	10,17 €
ET4271	2,80	20,00	95,80	4,22	50,60	250,00	✔	10,17 €
ET4272	2,80	20,00	138,00	2,64	81,00	250,00	-	10,17 €
ET4273	2,80	30,00	69,80	2,67	54,70	170,00	-	10,17 €
ET4274	2,80	30,00	86,60	1,67	87,60	170,00	-	10,17 €
ET4275	2,80	30,00	112,00	1,07	137,00	170,00	-	10,17 €
ET4276	2,80	30,00	154,00	0,67	219,00	170,00	-	10,79 €
ET4277	2,80	30,00	210,00	0,45	328,00	170,00	-	11,31 €
ET4278	3,20	16,00	50,60	43,72	8,50	435,00	-	10,17 €
ET4279	3,20	16,00	69,80	27,31	13,60	435,00	-	10,17 €
ET4280	3,20	16,00	98,60	17,52	21,30	435,00	-	10,17 €
ET4281	3,20	22,00	60,20	13,83	20,50	330,00	-	10,43 €
ET4282	3,20	22,00	79,40	8,59	32,70	330,00	-	10,43 €
ET4283	3,20	22,00	108,00	5,57	51,10	330,00	✔	10,43 €
ET4284	3,20	22,00	156,00	3,45	81,80	330,00	-	10,79 €

*Depending on availability - Dimensions in mm

Extension springs DIN 2097

ET Ø3,2-Ø5


Stainless steel piano wire

- ***Materials:***
  Piano springs: Stainless steel conforming to DIN17224, Stainless steel 1.4310 (301)
- *Ends: Closed German loops conforming to DIN 2097. Position may vary.*
- *Tolerances: All the dimensions and load values given conform to DIN2097 (Grade 2)*
- *Initial tension Fo = Max load x 0.08*
- *These springs are recommended for static or medium dynamic loads*



Info.

- *Springs should not be stretched greater than the maximum elongation value or permanent damage may result.*
- *For custom made springs, please contact us (Minimum quantity may apply)*



DISCOUNTS

Qty	1+	5+	10+	25+
Disc.	List	-5%	-20%	On request

Part number	Free Wire Ød	Rate Ø D0	Max. length L0	Max. C N/mm	deflection (mm)	load (N)	Price each 1 to 4
ET4285	3,20	36,00	82,60	2,59	68,40	205,00	33,51 €
ET4286	3,20	36,00	102,00	1,62	109,00	205,00	35,16 €
ET4287	3,20	36,00	131,00	1,04	171,00	205,00	35,20 €
ET4288	3,20	36,00	179,00	0,65	274,00	205,00	37,54 €
ET4289	3,20	36,00	243,00	0,43	410,00	205,00	37,99 €
ET4290	3,60	18,00	56,90	49,13	9,40	540,00	33,79 €
ET4291	3,60	18,00	78,50	30,75	15,00	540,00	33,79 €
ET4292	3,60	18,00	111,00	19,67	23,40	540,00	34,75 €
ET4293	3,60	25,00	68,10	15,03	23,00	405,00	33,79 €
ET4294	3,60	25,00	89,70	9,36	36,80	405,00	34,75 €
ET4295	3,60	25,00	122,00	6,00	57,60	405,00	34,75 €
ET4296	3,60	25,00	176,00	3,75	92,10	405,00	35,21 €

Dimensions in mm

Part number	Free Wire Ød	Rate Ø D0	Max. length L0	Max. C N/mm	deflection (mm)	load (N)	Price each 1 to 4
ET4297	3,60	40,00	92,10	3,04	72,90	260,00	34,75 €
ET4298	3,60	40,00	114,00	1,91	117,00	260,00	34,75 €
ET4299	3,60	40,00	146,00	1,22	182,00	260,00	35,21 €
ET4300	3,60	40,00	200,00	0,76	292,00	260,00	38,22 €
ET4301	3,60	40,00	272,00	0,51	437,00	260,00	40,26 €
ET4302	4,00	20,00	63,20	54,63	10,10	650,00	34,20 €
ET4303	4,00	20,00	87,20	34,10	16,20	650,00	34,20 €
ET4304	4,00	20,00	123,00	21,82	25,30	650,00	34,20 €
ET4305	4,00	28,00	76,00	16,15	25,40	480,00	35,21 €
ET4306	4,00	28,00	100,00	10,13	40,70	480,00	35,21 €
ET4307	4,00	28,00	136,00	6,48	63,60	480,00	34,70 €
ET4308	4,00	28,00	196,00	4,05	102,00	480,00	36,13 €
ET4309	4,00	45,00	103,00	3,25	81,20	310,00	36,13 €
ET4310	4,00	45,00	127,00	2,03	130,00	310,00	36,13 €
ET4311	4,00	45,00	163,00	1,30	203,00	310,00	35,94 €
ET4312	4,00	45,00	223,00	0,81	325,00	310,00	38,29 €
ET4313	4,00	45,00	303,00	0,54	487,00	310,00	43,78 €
ET4314	4,50	22,00	70,30	66,91	10,40	810,00	36,13 €
ET4315	4,50	22,00	97,30	41,83	16,60	810,00	39,20 €
ET4316	4,50	22,00	138,00	26,80	25,90	810,00	39,20 €
ET4317	4,50	32,00	86,30	17,26	29,00	580,00	35,94 €
ET4318	4,50	32,00	113,00	10,82	46,40	580,00	35,94 €
ET4319	4,50	32,00	154,00	6,90	72,60	580,00	36,35 €
ET4320	4,50	32,00	221,00	4,30	116,00	580,00	37,49 €
ET4321	4,50	50,00	115,00	3,80	86,40	380,00	53,36 €
ET4322	4,50	50,00	142,00	2,38	138,00	380,00	53,39 €
ET4323	4,50	50,00	183,00	1,53	216,00	380,00	53,89 €
ET4324	4,50	50,00	250,00	0,95	346,00	380,00	53,60 €
ET4325	4,50	50,00	340,00	0,64	518,00	380,00	53,82 €
ET4326	5,00	25,00	79,00	68,28	11,90	940,00	42,47 €
ET4327	5,00	25,00	109,00	42,69	19,00	940,00	42,47 €
ET4328	5,00	25,00	154,00	27,31	29,70	940,00	49,55 €
ET4329	5,00	36,00	96,60	18,38	32,20	685,00	49,01 €
ET4330	5,00	36,00	127,00	11,42	51,50	685,00	49,55 €
ET4331	5,00	36,00	172,00	7,33	80,40	685,00	53,68 €
ET4332	5,00	36,00	247,00	4,59	129,00	685,00	53,60 €
ET4333	5,00	55,00	127,00	4,37	90,60	460,00	46,57 €
ET4334	5,00	55,00	157,00	2,73	145,00	460,00	46,86 €
ET4335	5,00	55,00	202,00	1,75	226,00	460,00	48,49 €
ET4336	5,00	55,00	277,00	1,10	362,00	460,00	48,44 €
ET4337	5,00	55,00	377,00	0,72	544,00	460,00	84,01 €

Dimensions in mm


Our other products



Gas control screw for gas spring, Gas control screw



Pressed stainless steel flange bearing, Stainless steel



T type timing belt per metre, T10 Steel cored polyurethane



Arm with rotating handle, Square bore



Worm and wheel gear reducer, up to 40 Nm



Idler sprocket for slat top chain, Ranges 821 and 805



Motor-gearbox 12V and 24V DC, from 0.1 to 2 Nm



Fastener for aluminium profile, Standard fastener



Worm and wheel gear reducer, up to 3,75 Nm



Rigid manual tensioner, Fixed



Swivel castor with plate, Steel - grey rubber



Panamech, Multi-Beam, Aluminium - with set screw

Complementary products



Extension spring in metre length steel, by the metre



Extension spring in metre length stainless steel, by the metre