

Steel spur gear




Module 1,0

C45 steel

- Economy range of gears
- Pressure angle 20°
- Material:
C45 steel UNI7845


Economy range

Supplied
pre-bored



Info

- Pilot bore information is given as a guide only and may vary between batches
- Gear should be finished to suit the application, **we are unable to offer this service**



| Part number | Z Teeth | ØP PCD | ØD External | ØM Boss | ØA Pilot bore | Weight (kg) | Stock* | Price each |
|-------------|------------|-----------|----------------|------------|------------------|----------------|--------|---------------|
| G1-12/ECO | 12 | 12 | 14 | 9 | 5 | 0,010 | ✓ | 1,86 € |
| G1-13/ECO | 13 | 13 | 15 | 10 | 5 | 0,020 | - | 1,96 € |
| G1-14/ECO | 14 | 14 | 16 | 10 | 6 | 0,020 | ✓ | 2,00 € |
| G1-15/ECO | 15 | 15 | 17 | 12 | 6 | 0,020 | ✓ | 2,13 € |
| G1-16/ECO | 16 | 16 | 18 | 13 | 6 | 0,030 | ✓ | 2,57 € |
| G1-17/ECO | 17 | 17 | 19 | 14 | 8 | 0,030 | - | 2,70 € |
| G1-18/ECO | 18 | 18 | 20 | 15 | 8 | 0,030 | ✓ | 2,70 € |
| G1-19/ECO | 19 | 19 | 21 | 15 | 8 | 0,040 | ✓ | 2,88 € |
| G1-20/ECO | 20 | 20 | 22 | 16 | 8 | 0,040 | ✓ | 3,00 € |
| G1-21/ECO | 21 | 21 | 23 | 16 | 8 | 0,050 | ✓ | 3,00 € |
| G1-22/ECO | 22 | 22 | 24 | 18 | 8 | 0,050 | ✓ | 3,14 € |
| G1-23/ECO | 23 | 23 | 25 | 18 | 8 | 0,060 | - | 3,27 € |
| G1-24/ECO | 24 | 24 | 26 | 20 | 8 | 0,060 | ✓ | 3,58 € |
| G1-25/ECO | 25 | 25 | 27 | 20 | 8 | 0,070 | ✓ | 3,58 € |
| G1-26/ECO | 26 | 26 | 28 | 20 | 8 | 0,070 | ✓ | 3,71 € |

Dimensions in mm

| Part number | Z Teeth | ØP PCD | ØD External | ØM Boss | ØA Pilot bore | Weight (kg) | Stock* | Price each |
|-------------|------------|-----------|----------------|------------|------------------|----------------|--------|---------------|
| G1-27/ECO | 27 | 27 | 29 | 20 | 8 | 0,080 | ✓ | 3,71 € |
| G1-28/ECO | 28 | 28 | 30 | 20 | 8 | 0,080 | ✓ | 4,15 € |
| G1-29/ECO | 29 | 29 | 31 | 20 | 8 | 0,090 | - | 4,15 € |
| G1-30/ECO | 30 | 30 | 32 | 20 | 8 | 0,090 | ✓ | 4,28 € |
| G1-31/ECO | 31 | 31 | 33 | 25 | 10 | 0,110 | - | 4,45 € |
| G1-32/ECO | 32 | 32 | 34 | 25 | 10 | 0,120 | ✓ | 4,59 € |
| G1-33/ECO | 33 | 33 | 35 | 25 | 10 | 0,120 | ✓ | 4,59 € |
| G1-34/ECO | 34 | 34 | 36 | 25 | 10 | 0,130 | - | 4,85 € |
| G1-35/ECO | 35 | 35 | 37 | 25 | 10 | 0,140 | ✓ | 5,02 € |
| G1-36/ECO | 36 | 36 | 38 | 25 | 10 | 0,140 | ✓ | 5,19 € |
| G1-37/ECO | 37 | 37 | 39 | 25 | 10 | 0,150 | - | 5,41 € |
| G1-38/ECO | 38 | 38 | 40 | 25 | 10 | 0,160 | ✓ | 5,58 € |
| G1-39/ECO | 39 | 39 | 41 | 25 | 10 | 0,160 | ✓ | 5,63 € |
| G1-40/ECO | 40 | 40 | 42 | 25 | 10 | 0,170 | ✓ | 5,73 € |
| G1-41/ECO | 41 | 41 | 43 | 30 | 10 | 0,190 | - | 5,94 € |
| G1-42/ECO | 42 | 42 | 44 | 30 | 10 | 0,200 | ✓ | 6,29 € |
| G1-43/ECO | 43 | 43 | 45 | 30 | 10 | 0,210 | - | 6,38 € |
| G1-44/ECO | 44 | 44 | 46 | 30 | 10 | 0,220 | - | 6,42 € |
| G1-45/ECO | 45 | 45 | 47 | 30 | 10 | 0,230 | ✓ | 6,78 € |
| G1-46/ECO | 46 | 46 | 48 | 30 | 10 | 0,230 | ✓ | 7,03 € |
| G1-47/ECO | 47 | 47 | 49 | 30 | 10 | 0,240 | - | 7,30 € |
| G1-48/ECO | 48 | 48 | 50 | 30 | 10 | 0,350 | - | 7,38 € |
| G1-49/ECO | 49 | 49 | 51 | 30 | 10 | 0,360 | - | 7,38 € |
| G1-50/ECO | 50 | 50 | 52 | 30 | 12 | 0,260 | ✓ | 7,43 € |
| G1-51/ECO | 51 | 51 | 53 | 40 | 12 | 0,320 | - | 8,31 € |
| G1-52/ECO | 52 | 52 | 54 | 40 | 12 | 0,330 | ✓ | 8,31 € |
| G1-53/ECO | 53 | 53 | 55 | 40 | 12 | 0,330 | ✓ | 8,31 € |
| G1-54/ECO | 54 | 54 | 56 | 40 | 12 | 0,340 | - | 8,31 € |
| G1-55/ECO | 55 | 55 | 57 | 40 | 12 | 0,360 | ✓ | 8,79 € |
| G1-56/ECO | 56 | 56 | 58 | 40 | 12 | 0,370 | - | 9,05 € |
| G1-57/ECO | 57 | 57 | 59 | 40 | 12 | 0,380 | - | 9,31 € |
| G1-58/ECO | 58 | 58 | 60 | 40 | 12 | 0,390 | ✓ | 9,31 € |
| G1-59/ECO | 59 | 59 | 61 | 40 | 12 | 0,400 | - | 9,44 € |
| G1-60/ECO | 60 | 60 | 62 | 40 | 12 | 0,410 | ✓ | 9,79 € |
| G1-61/ECO | 61 | 61 | 63 | 50 | 12 | 0,470 | - | 10,40 € |
| G1-62/ECO | 62 | 62 | 64 | 50 | 12 | 0,490 | ✓ | 10,45 € |
| G1-63/ECO | 63 | 63 | 65 | 50 | 12 | 0,500 | ✓ | 10,54 € |
| G1-64/ECO | 64 | 64 | 66 | 50 | 12 | 0,510 | ✓ | 10,62 € |
| G1-65/ECO | 65 | 65 | 67 | 50 | 12 | 0,520 | ✓ | 10,76 € |
| G1-66/ECO | 66 | 66 | 68 | 50 | 12 | 0,530 | ✓ | 11,42 € |
| G1-67/ECO | 67 | 67 | 69 | 50 | 12 | 0,550 | ✓ | 11,50 € |
| G1-68/ECO | 68 | 68 | 70 | 50 | 12 | 0,560 | ✓ | 11,67 € |
| G1-69/ECO | 69 | 69 | 71 | 50 | 12 | 0,570 | - | 11,81 € |
| G1-70/ECO | 70 | 70 | 72 | 50 | 12 | 0,580 | ✓ | 11,94 € |

Dimensions in mm

Steel spur gear



Module 1,5

C45 steel

- Economy range of gears

- Pressure angle 20°

- Material:

C45 steel UNI7845

Economy range


Supplied
pre-bored



Info

- Pilot bore information is given as a guide only and may vary between batches

- Gear should be finished to suit the application, **we are unable to offer this service**



| Part number | Z Teeth | ØP PCD | ØD External | ØM Boss | ØA Pilot bore | Weight (kg) | Stock* | Price each |
|-------------|------------|-----------|----------------|------------|------------------|----------------|--------|---------------|
| G1.5-12/ECO | 12 | 18,0 | 21,0 | 14 | 8 | 0,040 | ✓ | 2,70 € |
| G1.5-13/ECO | 13 | 19,5 | 22,5 | 14 | 8 | 0,050 | - | 3,00 € |
| G1.5-14/ECO | 14 | 21,0 | 24,0 | 17 | 8 | 0,060 | ✓ | 3,32 € |
| G1.5-15/ECO | 15 | 22,5 | 25,5 | 18 | 8 | 0,070 | ✓ | 3,58 € |
| G1.5-16/ECO | 16 | 24,0 | 27,0 | 20 | 8 | 0,080 | ✓ | 3,71 € |
| G1.5-17/ECO | 17 | 25,5 | 28,5 | 20 | 8 | 0,090 | ✓ | 4,15 € |
| G1.5-18/ECO | 18 | 27,0 | 30,0 | 20 | 8 | 0,100 | - | 4,32 € |
| G1.5-19/ECO | 19 | 28,5 | 31,5 | 20 | 8 | 0,100 | ✓ | 4,45 € |
| G1.5-20/ECO | 20 | 30,0 | 33,0 | 25 | 8 | 0,130 | ✓ | 4,59 € |
| G1.5-21/ECO | 21 | 31,5 | 34,5 | 25 | 10 | 0,130 | ✓ | 5,02 € |
| G1.5-22/ECO | 22 | 33,0 | 36,0 | 25 | 10 | 0,140 | ✓ | 5,29 € |
| G1.5-23/ECO | 23 | 34,5 | 37,5 | 25 | 10 | 0,160 | - | 5,58 € |
| G1.5-24/ECO | 24 | 36,0 | 39,0 | 25 | 10 | 0,170 | ✓ | 5,73 € |
| G1.5-25/ECO | 25 | 37,5 | 40,5 | 25 | 10 | 0,180 | ✓ | 6,21 € |
| G1.5-26/ECO | 26 | 39,0 | 42,0 | 30 | 12 | 0,200 | ✓ | 6,38 € |

Dimensions in mm

| Part number | Z Teeth | ØP PCD | ØD External | ØM Boss | ØA Pilot bore | Weight (kg) | Stock* | Price each |
|-------------|------------|-----------|----------------|------------|------------------|----------------|--------|---------------|
| G1.5-27/ECO | 27 | 40,5 | 43,5 | 30 | 12 | 0,220 | ✓ | 6,78 € |
| G1.5-28/ECO | 28 | 42,0 | 45,0 | 30 | 12 | 0,230 | ✓ | 6,94 € |
| G1.5-29/ECO | 29 | 43,5 | 46,5 | 30 | 12 | 0,240 | ✓ | 7,17 € |
| G1.5-30/ECO | 30 | 45,0 | 48,0 | 30 | 12 | 0,260 | ✓ | 7,66 € |
| G1.5-31/ECO | 31 | 46,5 | 49,5 | 35 | 12 | 0,300 | ✓ | 8,03 € |
| G1.5-32/ECO | 32 | 48,0 | 51,0 | 35 | 12 | 0,310 | ✓ | 8,18 € |
| G1.5-33/ECO | 33 | 49,5 | 52,5 | 35 | 12 | 0,330 | - | 8,61 € |
| G1.5-34/ECO | 34 | 51,0 | 54,0 | 35 | 12 | 0,340 | - | 8,79 € |
| G1.5-35/ECO | 35 | 52,5 | 55,5 | 35 | 12 | 0,360 | ✓ | 9,05 € |
| G1.5-36/ECO | 36 | 54,0 | 57,0 | 35 | 12 | 0,370 | ✓ | 9,31 € |
| G1.5-37/ECO | 37 | 55,5 | 58,5 | 40 | 12 | 0,420 | - | 9,88 € |
| G1.5-38/ECO | 38 | 57,0 | 60,0 | 40 | 12 | 0,440 | ✓ | 10,18 € |
| G1.5-39/ECO | 39 | 58,5 | 61,5 | 40 | 12 | 0,460 | - | 10,40 € |
| G1.5-40/ECO | 40 | 60,0 | 63,0 | 40 | 12 | 0,480 | ✓ | 10,80 € |
| G1.5-41/ECO | 41 | 61,5 | 64,5 | 50 | 14 | 0,500 | - | 11,32 € |
| G1.5-42/ECO | 42 | 63,0 | 66,0 | 50 | 14 | 0,590 | ✓ | 11,50 € |
| G1.5-43/ECO | 43 | 64,5 | 67,5 | 50 | 14 | 0,610 | - | 12,42 € |
| G1.5-44/ECO | 44 | 66,0 | 69,0 | 50 | 14 | 0,630 | ✓ | 12,55 € |
| G1.5-45/ECO | 45 | 67,5 | 70,5 | 50 | 14 | 0,650 | ✓ | 12,68 € |
| G1.5-46/ECO | 46 | 69,0 | 72,0 | 50 | 14 | 0,660 | - | 13,39 € |
| G1.5-47/ECO | 47 | 70,5 | 73,5 | 50 | 14 | 0,700 | - | 13,68 € |
| G1.5-48/ECO | 48 | 72,0 | 75,0 | 50 | 14 | 0,700 | ✓ | 13,95 € |
| G1.5-49/ECO | 49 | 73,5 | 76,5 | 50 | 14 | 0,730 | - | 14,12 € |
| G1.5-50/ECO | 50 | 75,0 | 78,0 | 50 | 14 | 0,760 | ✓ | 15,00 € |
| G1.5-51/ECO | 51 | 76,5 | 79,5 | 60 | 15 | 0,860 | - | 15,13 € |
| G1.5-52/ECO | 52 | 78,0 | 81,0 | 60 | 15 | 0,890 | - | 15,32 € |
| G1.5-53/ECO | 53 | 79,5 | 82,5 | 60 | 15 | 0,910 | ✓ | 16,32 € |
| G1.5-54/ECO | 54 | 81,0 | 84,0 | 60 | 15 | 0,940 | ✓ | 16,71 € |
| G1.5-55/ECO | 55 | 82,5 | 85,5 | 60 | 15 | 0,960 | ✓ | 16,89 € |
| G1.5-56/ECO | 56 | 84,0 | 87,0 | 60 | 15 | 0,980 | - | 17,76 € |
| G1.5-57/ECO | 57 | 85,5 | 88,5 | 60 | 15 | 1,000 | - | 17,98 € |
| G1.5-58/ECO | 58 | 87,0 | 90,0 | 60 | 15 | 1,030 | ✓ | 18,20 € |
| G1.5-59/ECO | 59 | 88,5 | 91,5 | 60 | 15 | 1,060 | - | 18,42 € |
| G1.5-60/ECO | 60 | 90,0 | 93,0 | 60 | 15 | 1,090 | ✓ | 19,43 € |
| G1.5-61/ECO | 61 | 91,5 | 94,5 | 70 | 20 | 1,220 | - | 19,73 € |
| G1.5-62/ECO | 62 | 93,0 | 96,0 | 70 | 20 | 1,250 | ✓ | 19,92 € |
| G1.5-63/ECO | 63 | 94,5 | 97,5 | 70 | 20 | 1,280 | ✓ | 20,87 € |
| G1.5-64/ECO | 64 | 96,0 | 99,0 | 70 | 20 | 1,310 | - | 21,17 € |
| G1.5-65/ECO | 65 | 97,5 | 100,5 | 70 | 20 | 1,340 | ✓ | 21,35 € |
| G1.5-66/ECO | 66 | 99,0 | 102,0 | 70 | 20 | 1,370 | - | 22,49 € |
| G1.5-67/ECO | 67 | 100,5 | 103,5 | 70 | 20 | 1,400 | - | 22,62 € |
| G1.5-68/ECO | 68 | 102,0 | 105,0 | 70 | 20 | 1,430 | ✓ | 23,06 € |
| G1.5-69/ECO | 69 | 103,5 | 106,5 | 70 | 20 | 1,460 | - | 23,06 € |
| G1.5-70/ECO | 70 | 105,0 | 108,0 | 70 | 20 | 1,500 | ✓ | 24,07 € |

Dimensions in mm

Steel spur gear



Module 2,0

C45 steel

- Economy range of gears
- Pressure angle 20°
- Material:
C45 steel UNI7845


Economy range

Supplied pre-bored



Info

- Pilot bore information is given as a guide only and may vary between batches
- Gear should be finished to suit the application, **we are unable to offer this service**



| Part number | Z Teeth | ØP PCD | ØD External | ØM Boss | ØA Pilot bore | Weight (kg) | Stock* | Price each |
|-------------|------------|-----------|----------------|------------|------------------|----------------|--------|---------------|
| G2-12/ECO | 12 | 24 | 28 | 18 | 10 | 0,080 | ✓ | 3,58 € |
| G2-13/ECO | 13 | 26 | 30 | 19 | 10 | 0,100 | - | 3,84 € |
| G2-14/ECO | 14 | 28 | 32 | 20 | 10 | 0,120 | ✓ | 4,15 € |
| G2-15/ECO | 15 | 30 | 34 | 22 | 10 | 0,140 | ✓ | 4,45 € |
| G2-16/ECO | 16 | 32 | 36 | 24 | 10 | 0,160 | ✓ | 5,15 € |
| G2-17/ECO | 17 | 34 | 38 | 25 | 10 | 0,180 | ✓ | 5,15 € |
| G2-18/ECO | 18 | 36 | 40 | 25 | 10 | 0,190 | ✓ | 5,41 € |
| G2-19/ECO | 19 | 38 | 42 | 25 | 10 | 0,210 | ✓ | 5,73 € |
| G2-20/ECO | 20 | 40 | 44 | 30 | 10 | 0,260 | ✓ | 6,29 € |
| G2-21/ECO | 21 | 42 | 46 | 30 | 12 | 0,270 | ✓ | 6,42 € |
| G2-22/ECO | 22 | 44 | 48 | 30 | 12 | 0,290 | ✓ | 7,03 € |
| G2-23/ECO | 23 | 46 | 50 | 30 | 12 | 0,310 | - | 7,38 € |
| G2-24/ECO | 24 | 48 | 52 | 35 | 12 | 0,360 | ✓ | 7,95 € |
| G2-25/ECO | 25 | 50 | 54 | 35 | 12 | 0,390 | ✓ | 8,31 € |
| G2-26/ECO | 26 | 52 | 56 | 40 | 12 | 0,450 | ✓ | 8,61 € |

Dimensions in mm

| Part number | Z Teeth | ØP PCD | ØD External | ØM Boss | ØA Pilot bore | Weight (kg) | Stock* | Price each |
|-------------|------------|-----------|----------------|------------|------------------|----------------|--------|---------------|
| G2-27/ECO | 27 | 54 | 58 | 40 | 12 | 0,470 | ✓ | 9,31 € |
| G2-28/ECO | 28 | 56 | 60 | 40 | 12 | 0,500 | ✓ | 9,53 € |
| G2-29/ECO | 29 | 58 | 62 | 40 | 14 | 0,520 | - | 9,97 € |
| G2-30/ECO | 30 | 60 | 64 | 40 | 14 | 0,550 | ✓ | 10,40 € |
| G2-31/ECO | 31 | 62 | 66 | 45 | 14 | 0,610 | ✓ | 10,76 € |
| G2-32/ECO | 32 | 64 | 68 | 45 | 14 | 0,650 | ✓ | 11,42 € |
| G2-33/ECO | 33 | 66 | 70 | 45 | 14 | 0,680 | ✓ | 11,67 € |
| G2-34/ECO | 34 | 68 | 72 | 45 | 14 | 0,710 | ✓ | 12,25 € |
| G2-35/ECO | 35 | 70 | 74 | 45 | 14 | 0,740 | ✓ | 12,55 € |
| G2-36/ECO | 36 | 72 | 76 | 45 | 14 | 0,780 | ✓ | 12,68 € |
| G2-37/ECO | 37 | 74 | 78 | 50 | 14 | 0,860 | - | 13,68 € |
| G2-38/ECO | 38 | 76 | 80 | 50 | 14 | 0,900 | ✓ | 13,95 € |
| G2-39/ECO | 39 | 78 | 82 | 50 | 14 | 0,930 | ✓ | 14,52 € |
| G2-40/ECO | 40 | 80 | 84 | 50 | 14 | 0,970 | ✓ | 15,13 € |
| G2-41/ECO | 41 | 82 | 86 | 60 | 16 | 1,050 | - | 15,53 € |
| G2-42/ECO | 42 | 84 | 88 | 60 | 16 | 1,090 | ✓ | 16,49 € |
| G2-43/ECO | 43 | 86 | 90 | 60 | 16 | 1,130 | - | 17,32 € |
| G2-44/ECO | 44 | 88 | 92 | 60 | 16 | 1,230 | ✓ | 17,76 € |
| G2-45/ECO | 45 | 90 | 94 | 60 | 16 | 1,270 | ✓ | 18,16 € |
| G2-46/ECO | 46 | 92 | 96 | 60 | 16 | 1,310 | ✓ | 19,43 € |
| G2-47/ECO | 47 | 94 | 98 | 60 | 16 | 1,480 | ✓ | 20,92 € |
| G2-48/ECO | 48 | 96 | 100 | 70 | 16 | 1,530 | ✓ | 22,62 € |
| G2-49/ECO | 49 | 98 | 102 | 70 | 16 | 1,570 | ✓ | 23,80 € |
| G2-50/ECO | 50 | 100 | 104 | 70 | 16 | 1,620 | ✓ | 24,81 € |
| G2-51/ECO | 51 | 102 | 106 | 70 | 20 | 1,670 | - | 25,12 € |
| G2-52/ECO | 52 | 104 | 108 | 70 | 20 | 1,720 | - | 26,17 € |
| G2-53/ECO | 53 | 106 | 110 | 70 | 20 | 1,780 | - | 27,09 € |
| G2-54/ECO | 54 | 108 | 112 | 70 | 20 | 1,830 | ✓ | 26,74 € |
| G2-55/ECO | 55 | 110 | 114 | 70 | 20 | 1,880 | ✓ | 28,67 € |
| G2-56/ECO | 56 | 112 | 116 | 70 | 20 | 1,940 | - | 31,12 € |
| G2-57/ECO | 57 | 114 | 118 | 70 | 20 | 1,990 | - | 31,99 € |
| G2-58/ECO | 58 | 116 | 120 | 70 | 20 | 2,050 | ✓ | 33,04 € |
| G2-59/ECO | 59 | 118 | 122 | 70 | 20 | 2,110 | - | 33,79 € |
| G2-60/ECO | 60 | 120 | 124 | 70 | 20 | 2,160 | ✓ | 34,48 € |
| G2-61/ECO | 61 | 122 | 126 | 80 | 20 | 2,360 | - | 35,19 € |
| G2-62/ECO | 62 | 124 | 128 | 80 | 20 | 2,420 | ✓ | 36,93 € |
| G2-63/ECO | 63 | 126 | 130 | 80 | 20 | 2,480 | - | 37,51 € |
| G2-64/ECO | 64 | 128 | 132 | 80 | 20 | 2,550 | - | 38,73 € |
| G2-65/ECO | 65 | 130 | 134 | 80 | 20 | 2,610 | ✓ | 40,44 € |
| G2-66/ECO | 66 | 132 | 136 | 80 | 20 | 2,670 | ✓ | 41,14 € |
| G2-67/ECO | 67 | 134 | 138 | 80 | 20 | 2,740 | - | 41,32 € |
| G2-68/ECO | 68 | 136 | 140 | 80 | 20 | 2,810 | - | 41,53 € |
| G2-69/ECO | 69 | 138 | 142 | 80 | 20 | 2,870 | - | 41,53 € |
| G2-70/ECO | 70 | 140 | 144 | 80 | 20 | 2,940 | ✓ | 41,85 € |

Dimensions in mm

Steel spur gear



Module 2,5

C45 steel


- Economy range of gears
- Pressure angle 20°
- Material:
C45 steel UNI7845

Info

- Pilot bore information is given as a guide only and may vary between batches
- Gear should be finished to suit the application, **we are unable to offer this service**

Economy range

Supplied pre-bored



| Part number | Z Teeth | ØP PCD | ØD External | ØM Boss | ØA Pilot bore | Weight (kg) | Stock* | Price each |
|-------------|------------|-----------|----------------|------------|------------------|----------------|--------|---------------|
| G2.5-12/ECO | 12 | 30,0 | 35,0 | 22 | 10 | 0,170 | - | 5,63 € |
| G2.5-13/ECO | 13 | 32,5 | 37,5 | 25 | 10 | 0,210 | - | 6,06 € |
| G2.5-14/ECO | 14 | 35,0 | 40,0 | 28 | 10 | 0,250 | ✓ | 6,29 € |
| G2.5-15/ECO | 15 | 37,5 | 42,5 | 30 | 10 | 0,300 | ✓ | 7,07 € |
| G2.5-16/ECO | 16 | 40,0 | 45,0 | 32 | 12 | 0,330 | ✓ | 7,51 € |
| G2.5-17/ECO | 17 | 42,5 | 47,5 | 35 | 12 | 0,380 | ✓ | 7,95 € |
| G2.5-18/ECO | 18 | 45,0 | 50,0 | 35 | 12 | 0,420 | ✓ | 8,22 € |
| G2.5-19/ECO | 19 | 47,5 | 52,5 | 35 | 12 | 0,450 | - | 9,23 € |
| G2.5-20/ECO | 20 | 50,0 | 55,0 | 40 | 14 | 0,540 | ✓ | 9,79 € |
| G2.5-21/ECO | 21 | 52,5 | 57,5 | 40 | 14 | 0,560 | - | 10,06 € |
| G2.5-22/ECO | 22 | 55,0 | 60,0 | 45 | 14 | 0,660 | ✓ | 11,06 € |
| G2.5-23/ECO | 23 | 57,5 | 62,5 | 45 | 14 | 0,700 | ✓ | 11,42 € |
| G2.5-24/ECO | 24 | 60,0 | 65,0 | 45 | 14 | 0,740 | ✓ | 11,94 € |
| G2.5-25/ECO | 25 | 62,5 | 67,5 | 50 | 14 | 0,850 | ✓ | 12,55 € |
| G2.5-26/ECO | 26 | 65,0 | 70,0 | 50 | 14 | 0,900 | - | 13,83 € |

Dimensions in mm

| Part number | Z Teeth | ØP PCD | ØD External | ØM Boss | ØA Pilot bore | Weight (kg) | Stock* | Price each |
|-------------|------------|-----------|----------------|------------|------------------|----------------|--------|---------------|
| G2.5-27/ECO | 27 | 67,5 | 72,5 | 50 | 14 | 0,950 | - | 14,88 € |
| G2.5-28/ECO | 28 | 70,0 | 75,0 | 50 | 14 | 1,000 | ✓ | 16,14 € |
| G2.5-29/ECO | 29 | 72,5 | 77,5 | 50 | 14 | 1,060 | - | 17,15 € |
| G2.5-30/ECO | 30 | 75,0 | 80,0 | 55 | 16 | 1,180 | ✓ | 18,07 € |
| G2.5-31/ECO | 31 | 77,5 | 82,5 | 55 | 16 | 1,220 | ✓ | 18,20 € |
| G2.5-32/ECO | 32 | 80,0 | 85,0 | 55 | 16 | 1,280 | ✓ | 20,29 € |
| G2.5-33/ECO | 33 | 82,5 | 87,5 | 55 | 16 | 1,340 | - | 20,73 € |
| G2.5-34/ECO | 34 | 85,0 | 90,0 | 55 | 16 | 1,410 | - | 22,18 € |
| G2.5-35/ECO | 35 | 87,5 | 92,5 | 60 | 16 | 1,540 | ✓ | 22,62 € |
| G2.5-36/ECO | 36 | 90,0 | 95,0 | 60 | 16 | 1,610 | - | 24,37 € |
| G2.5-37/ECO | 37 | 92,5 | 97,5 | 60 | 16 | 1,680 | - | 25,25 € |
| G2.5-38/ECO | 38 | 95,0 | 100,0 | 60 | 16 | 1,750 | ✓ | 27,52 € |
| G2.5-39/ECO | 39 | 97,5 | 102,5 | 60 | 16 | 1,830 | - | 28,75 € |
| G2.5-40/ECO | 40 | 100,0 | 105,0 | 70 | 20 | 2,060 | ✓ | 29,98 € |
| G2.5-41/ECO | 41 | 102,5 | 107,5 | 70 | 20 | 2,140 | - | 33,04 € |
| G2.5-42/ECO | 42 | 105,0 | 110,0 | 70 | 20 | 2,220 | - | 34,19 € |
| G2.5-43/ECO | 43 | 107,5 | 112,5 | 70 | 20 | 2,300 | - | 35,24 € |
| G2.5-44/ECO | 44 | 110,0 | 115,0 | 70 | 20 | 2,380 | - | 36,06 € |
| G2.5-45/ECO | 45 | 112,5 | 117,5 | 70 | 20 | 2,470 | ✓ | 36,93 € |
| G2.5-46/ECO | 46 | 115,0 | 120,0 | 70 | 20 | 2,520 | - | 37,51 € |
| G2.5-47/ECO | 47 | 117,5 | 122,5 | 80 | 20 | 2,800 | - | 38,73 € |
| G2.5-48/ECO | 48 | 120,0 | 125,0 | 80 | 20 | 2,880 | - | 37,07 € |
| G2.5-49/ECO | 49 | 122,5 | 127,5 | 80 | 20 | 2,980 | - | 41,14 € |
| G2.5-50/ECO | 50 | 125,0 | 130,0 | 80 | 20 | 3,070 | ✓ | 44,16 € |
| G2.5-51/ECO | 51 | 127,5 | 132,5 | 90 | 20 | 3,170 | - | 45,04 € |
| G2.5-52/ECO | 52 | 130,0 | 135,0 | 90 | 20 | 3,480 | - | 45,78 € |
| G2.5-53/ECO | 53 | 132,5 | 137,5 | 90 | 20 | 3,580 | - | 46,39 € |
| G2.5-54/ECO | 54 | 135,0 | 140,0 | 90 | 20 | 3,680 | - | 47,83 € |
| G2.5-55/ECO | 55 | 137,5 | 142,5 | 90 | 20 | 3,780 | ✓ | 49,99 € |
| G2.5-56/ECO | 56 | 140,0 | 145,0 | 100 | 20 | 4,130 | - | 50,90 € |
| G2.5-57/ECO | 57 | 142,5 | 147,5 | 100 | 20 | 4,230 | - | 54,59 € |
| G2.5-58/ECO | 58 | 145,0 | 150,0 | 100 | 20 | 4,340 | - | 58,00 € |
| G2.5-59/ECO | 59 | 147,5 | 152,5 | 100 | 20 | 4,460 | - | 61,54 € |
| G2.5-60/ECO | 60 | 150,0 | 155,0 | 100 | 20 | 4,570 | ✓ | 65,13 € |

Dimensions in mm

Our other products



CQA30

Accessory for adjustment slide-system, 30



LWL

Linear ball slide - Stainless steel balls, Rail - from 514 N to 1670...



DOMI30

Domino 30 adjustable slide, Slide DOMILINE 30



SSB

Stainless steel bevel gear, 1:1



BEAB

Knob star grip antibacterial, Star, anti-bacterial



PWC

Powercoil thread inserts, Kit Powercoil - with or without insertion ...



PAV

Fixed anti-vibration foot mount, Vibration-dampening



DOMI50

Domino 50 adjustable slide, Slide DOMILINE 50



MDR_SS

Stainless steel Dee shackle with eye bolt,



WINGbrEcrou

Manually tightened wing nut DIN315,



BPMc

Stainless steel slotted spring plunger with



GE

Toggle latches, Standard

Complementary products



G1

Steel spur gear, Steel 20NCD2



CLG1

Moulded plastic spur gear, Moulded plastic (nylon)



ZG1

Plastic spur gear, Machined plastic (delrin)



YG1

HEAVY DUTY spur gear, Steel 35NCD6