





- **HBM-X:** Adjustable support bush with eccentric mounting hole. By rotating the bush, any play between the guide wheel and the rail can be eliminated.
- **HBM:** Fixed bush with a concentric mounting hole. They should be mounted on the side carrying most of the load.



### Info.

- \* fits into the bore of the corresponding wheel
- \*\* assumes eccentric bush will be mounted in its central position thus allowing adjustment from +X to -X



**HBM-X : Adjustable eccentric support bush**

**HBM: Fixed concentric bush**

### DISCOUNTS

Qty	1+	4+	8+
Disc.	List -10%	On request	

Part number	Steel	Stainless	H	ØK*	L	ØN	For ØM screw	X**	S	Weight (g)	Stock*	Price each 1 to 3	Steel	Stainless
<b>Eccentric support bush</b>														
HBM-1X	HBM-1X/SS		13,97	4,75	11,11	3,6	M3,5	0,30	6,30	5	✓	12,84 €	23,82 €	
-	HBM-1-M4/SS		13,8	4,76	12	4	M4	0,25	6,22	-	-			
HBM-2X	HBM-2X/SS		17,93	9,51	14,28	6,1	M6,0	0,60	7,13	11	✓	13,75 €	28,43 €	
HBM-3X	HBM-3X/SS		25,14	11,99	19,05	8,1	M8,0	1,06	9,52	26	✓	19,57 €	39,11 €	
HBM-4X	HBM-4X/SS		29,90	14,99	22,22	10,1	M10,0	1,52	11,09	45	✓	21,59 €	52,10 €	
<b>Concentric support bush</b>														
HBM-1	HBM-1/SS		13,97	4,75	11,11	3,6	M3,5	-	6,30	5	✓	7,02 €	11,92 €	
-	HBM-1-M4/SS		13,8	4,76	11,2	4	M4	-	6,22	-	-			
HBM-2	HBM-2/SS		17,93	9,51	14,28	6,1	M6,0	-	7,13	11	✓	7,87 €	15,60 €	
HBM-3	HBM-3/SS		25,14	11,99	19,05	8,1	M8,0	-	9,52	26	✓	12,10 €	22,47 €	
HBM-4	HBM-4/SS		29,90	14,99	22,22	10,1	10,0	-	11,09	45	✓	13,29 €	35,15 €	

\*Depending on availability - Dimensions in mm

## Our other products



Gal-cardan

Single universal joint  
eco series, Low duty



NPTR10

Adjustable cross  
clamp, Adjustable



LC

Friction clutch, 30 to  
240 Nm



RNAST

Cam follower without  
axial guide, Without  
interior ring



SSB

Stainless steel bevel  
gear, 1:1



EMS

Stainless steel knurled  
thumb nut, Knurled



T5M T10M

T type timing belt per  
metre, T10 Steel  
cored polyurethane



G-ECO

Eco range Spur gear,  
Steel C45



CHAEss

Decorative hinge,  
Stainless steel



HSSss

Stainless steel  
shoulder screw  
ISO7379, Stainless  
steel ISO 7379



PRES3HR

Manual workbench  
press, Force up to  
400kg



CHA

Heavy duty plastic  
hinge, opens 180°,  
Heavy duty - Opens  
180°

## Complementary products



HW\_HT

Half-rail guide, Wheel



HW\_HT

Half-rail guide, Rail



HW\_HT

Half-rail guide, Wheel