





- **HBM-X:** Adjustable support bush with eccentric mounting hole. By rotating the bush, any play between the guide wheel and the rail can be eliminated.
- **HBM:** Fixed bush with a concentric mounting hole. They should be mounted on the side carrying most of the load.



Info.

- * fits into the bore of the corresponding wheel
- ** assumes eccentric bush will be mounted in its central position thus allowing adjustment from +X to -X



HBM-X : Adjustable eccentric support bush

HBM: Fixed concentric bush

DISCOUNTS

Qty	1+	4+	8+
Disc.	List -10%	On request	

Part number	Steel	Stainless	H	ØK*	L	ØN	For ØM screw	X**	S	Weight (g)	Stock*	Price each 1 to 3	
												Steel	Stainless
Eccentric support bush													
HBM-1X	HBM-1X/SS		13,97	4,75	11,11	3,6	M3,5	0,30	6,30	5	✓	12,84 €	23,82 €
-	HBM-1-M4/SS		13,8	4,76	12	4	M4	0,25	6,22	-	-		
HBM-2X	HBM-2X/SS		17,93	9,51	14,28	6,1	M6,0	0,60	7,13	11	✓	13,75 €	28,43 €
HBM-3X	HBM-3X/SS		25,14	11,99	19,05	8,1	M8,0	1,06	9,52	26	✓	19,57 €	39,11 €
HBM-4X	HBM-4X/SS		29,90	14,99	22,22	10,1	M10,0	1,52	11,09	45	✓	21,59 €	52,10 €
Concentric support bush													
HBM-1	HBM-1/SS		13,97	4,75	11,11	3,6	M3,5	-	6,30	5	✓	7,02 €	11,92 €
-	HBM-1-M4/SS		13,8	4,76	11,2	4	M4	-	6,22	-	-		
HBM-2	HBM-2/SS		17,93	9,51	14,28	6,1	M6,0	-	7,13	11	✓	7,87 €	15,60 €
HBM-3	HBM-3/SS		25,14	11,99	19,05	8,1	M8,0	-	9,52	26	✓	12,10 €	22,47 €
HBM-4	HBM-4/SS		29,90	14,99	22,22	10,1	M10,0	-	11,09	45	✓	13,29 €	35,15 €

*Depending on availability - Dimensions in mm

Our other products



RT61ss

Self-centering locking Assembly,
Medium/low torque



PAMF100EB

Articulated foot with
sheet metal base
Ø100, Articulated foot



DPAAR_DKON

Progressive stop,
Steel



PITA

Locking bolt, with T
handle



COA-COG

Surface mounting
plate, Surface
mounting plate for
clevis



COA-COG

Surface mounting
plate, Surface
mounting plate for
ball joint



HDSS

Needle roller double
universal joint -
Stainless steel, Heavy
duty



PAT85

Pressed stainless
steel articulating foot
Ø85, Ø85




BHC

Socket head button
screw, Stainless steel
A2



ACLBTS

Spherical ended stop
for aluminium profile,
Spherical ended stop



AC

Strike for toggle latch,
18mm



D19 D29

Compression springs
in metre length steel,
by the metre

Complementary products



HW_HT

Half-rail guide, Wheel



HW_HT

Half-rail guide, Rail



HW_HT

Half-rail guide, Wheel