

Right angle gearbox

HLA19

Torque up to 43 Nm



- **Right angle bevel gearbox**
- Max speed 1,400 rpm
- Output backlash: 12' to 20'
- Materials:
 - Components: steel
 - Case: cast iron
- Thermal power: 4.5 kW (Heat dissipation capability)

Part number

- When ordering, specify the rotation direction and mounting position by replacing **E** and **B3** in the Part number (see presentation page)





Hollow output shaft C



Single output shaft S or dual shafts B

With input shaft



DISCOUNTS

Qty	1+	2+	4+
Disc.	List	-5%	On request

Part number	Ratio	Ø input shaft (h6)	Output shaft	Max output speed (rpm)	Mechanical output torque (Nm)	Weight (kg)	Price each
HLA19-1-C-E-B3	1:1	19	hollow	1400	35	8,5	384,17 €
HLA19-2-C-E-B3	2:1	14	hollow	700	40	8,5	384,17 €
HLA19-3-C-E-B3	3:1	14	hollow	467	43	8,5	384,17 €
HLA19-1-S-E-B3	1:1	19	single	1400	35	8,5	382,92 €
HLA19-2-S-E-B3	2:1	14	single	700	40	8,5	382,92 €
HLA19-3-S-E-B3	3:1	14	single	467	43	8,5	382,92 €
HLA19-1-B-E-B3	1:1	19	dual	1400	35	8,5	395,43 €
HLA19-2-B-E-B3	2:1	14	dual	700	40	8,5	395,43 €
HLA19-3-B-E-B3	3:1	14	dual	467	43	8,5	395,43 €

*For maximum torque and a service factor applied, see presentation page - Dimensions en mm

Our other products



ESCON

Speed controller 5A accessories, USB cable for PC link



BAG-MI

Split shaft collar with clamp lever, Steel



ACL

Joints for aluminium profiles, Variable angle corner



PW_PWG3

Wheel - precision range, Bronze



PTAF80-PAMF80

Articulated fixable foot with pressed base $\varnothing 80$, $\varnothing 80$



PRF_BV

Screw block, Panel addition and fastening



COA-COG

Surface mounting plate, Surface mounting plate for ball joint



PPRss

Pad eye on mounting plate round, Stainless steel



T39_T49

Extension spring in metre length stainless steel, by the metre



BMF

Knurled knob - female, Knurled - blind



BSM

Spring plunger with internal hexagonal socket, steel body,



HTD14M_55

HTD Heavy duty timing pulley, HTD14 Cast

Complementary products



HLC19

Right angle spiro bevel gearbox, Up to 43Nm



HLA24

Right angle spiro bevel gearbox, Up to 78Nm