


- **Compact cylindrical bearing**
- With integrated seals
- Material:
 - Housing: Pressed sheet steel
 - Balls: Steel 70 HRC +/-2
- Only for linear movement (not rotation)



Part number	normal backlash		reduced backlash	
	bore	shaft	bore	shaft
Steel or cast iron housing	H7	h6	H6	j7
Light alloy housing	K7	h6	K6	j5

DISCOUNTS

Qty	1+	5+	10+	25+
Disc.	List	-6%	-12%	On request

Part number	Ød (mm)	OD (mm)	L (mm)	Weight (g)	Loads		Stock*	Price each 1 to 4
					Dynamic Cr (N)	Static Co (N)		
KH12-28-LL	12	19	28	18,5	605	495	✓	14,05 €
KH14-28-LL	14	21	28	20,5	600	505	✓	14,34 €
KH16-30-LL	16	24	30	27,5	775	600	✓	16,29 €
KH20-30-LL	20	28	30	32,5	1050	880	✓	14,73 €
KH25-40-LL	25	35	40	66,0	1830	1560	✓	18,03 €
KH30-50-LL	30	40	50	95,0	2700	2450	✓	25,29 €
KH40-60-LL	40	52	60	182,0	4250	4000	✓	42,92 €
KH50-70-LL	50	62	70	252,0	5300	5700	-	60,00 €

*Depending on availability - Dimensions in mm

Our other products



PM3

Worm and wheel set,
Non hardened steel



VRBS

Folding lifting ring for
welding, Folding - for
welding



DOMI50

Domino 50 adjustable
slide, Slide DOMILINE
50 with counter and
handw...



BLM

Spring loaded plunger
with ball tip, Stainless
steel body



BGC

Oldham coupling,
Clamp



CHT

Asynchronous AC
Motor, 0.18 to 0.55kW



BLHT30

Right angled gearbox,
from 1.65 to 4.40 Nm



DCA

Suction cup, 1.5
bellows, silicon



BDM

Pin for magnetic bush,
Fast and light
magnetic locking



BOXINS300

Box set of self tapping
inserts, Boxed set -
For hard materials



PSG25

Spur gear - precision
range, Stainless steel
303



MEFC

Flanged sintered
ferrous bush, Self-
lubricating FP20
ferrous alloy M...

Complementary products



ZA

Shaft for linear
guides, Hardened
ground steel



FGWA

End support, With
base