


# Flat magnet





## PLA

## NdFeB

- **Shielded system**
- NdFeB magnets offer 10-20% more attraction force than SmCo magnets
- Max working temp : +80°C
- **Material, finish**  
Galvanised steel body,  
Magnetic core NeFeB



**INCREASED STOCK**



### DISCOUNTS

| Qty   | 1+   | 6+   | 20+  | 40+  | 60+        |
|-------|------|------|------|------|------------|
| Disc. | List | -15% | -20% | -30% | On request |

| Part number | Forme | ØD                  | ØD1 | ØD2 | ØD3 | L    | L1  | Attraction force |            | Price each |
|-------------|-------|---------------------|-----|-----|-----|------|-----|------------------|------------|------------|
|             |       |                     |     |     |     |      |     | (N)              | Weight (g) |            |
| PLA6-4/A    | A     | 6 <sup>+0,15</sup>  | -   | -   | -   | -    | 4,5 | 5                | 1,0        | 3,24 €     |
| PLA8-4/A    | A     | 8 <sup>+0,15</sup>  | -   | -   | -   | -    | 4,5 | 13               | 1,5        | 3,36 €     |
| PLA10-4/A   | A     | 10 <sup>+0,15</sup> | -   | -   | -   | -    | 4,5 | 25               | 2,5        | 3,92 €     |
| PLA13-4/A   | A     | 13 <sup>+0,15</sup> | -   | -   | -   | -    | 4,5 | 60               | 4,5        | 4,05 €     |
| PLA16-4/A   | A     | 16 <sup>+0,15</sup> | -   | -   | -   | -    | 4,5 | 95               | 6,5        | 4,85 €     |
| PLA20-6/A   | A     | 20 <sup>+0,15</sup> | -   | -   | -   | -    | 6,0 | 140              | 15,0       | 7,30 €     |
| PLA25-7/A   | A     | 25 <sup>+0,15</sup> | -   | -   | -   | -    | 7,0 | 200              | 22,0       | 10,95 €    |
| PLA32-7/A   | A     | 32 <sup>+0,20</sup> | -   | -   | -   | -    | 7,0 | 350              | 40,0       | 17,17 €    |
| PLA6-4/B    | B     | 6 <sup>+0,15</sup>  | 6   | M3  | -   | 11,5 | 4,5 | 5                | 1,5        | 4,05 €     |
| PLA8-4/B    | B     | 8 <sup>+0,15</sup>  | 6   | M3  | -   | 11,5 | 4,5 | 13               | 2,0        | 4,20 €     |
| PLA10-4/B   | B     | 10 <sup>+0,15</sup> | 6   | M3  | -   | 11,5 | 4,5 | 25               | 3,0        | 4,81 €     |
| PLA13-4/B   | B     | 13 <sup>+0,15</sup> | 6   | M3  | -   | 11,5 | 4,5 | 60               | 5,0        | 5,02 €     |
| PLA16-4/B   | B     | 16 <sup>+0,15</sup> | 6   | M4  | -   | 11,5 | 4,5 | 95               | 7,5        | 5,87 €     |
| PLA20-6/B   | B     | 20 <sup>+0,15</sup> | 8   | M4  | -   | 13,0 | 6,0 | 140              | 16,0       | 9,98 €     |
| PLA25-7/B   | B     | 25 <sup>+0,15</sup> | 8   | M4  | -   | 14,0 | 7,0 | 200              | 25,0       | 14,82 €    |
| PLA32-7/B   | B     | 32 <sup>+0,20</sup> | 10  | M5  | -   | 15,5 | 7,0 | 350              | 48,0       | 20,02 €    |
| PLA10-4/C   | C     | 10 <sup>+0,15</sup> | -   | -   | M3  | 11,5 | 4,5 | 25               | 3,0        | 4,58 €     |
| PLA13-4/C   | C     | 13 <sup>+0,15</sup> | -   | -   | M5  | 12,5 | 4,5 | 60               | 5,0        | 5,02 €     |
| PLA16-4/C   | C     | 16 <sup>+0,15</sup> | -   | -   | M6  | 12,5 | 4,5 | 95               | 8,0        | 5,91 €     |
| PLA20-6/C   | C     | 20 <sup>+0,15</sup> | -   | -   | M6  | 16,0 | 6,0 | 140              | 16,0       | 10,01 €    |
| PLA25-7/C   | C     | 25 <sup>+0,15</sup> | -   | -   | M6  | 17,0 | 7,0 | 200              | 25,0       | 14,82 €    |
| PLA32-7/C   | C     | 32 <sup>+0,20</sup> | -   | -   | M6  | 17,0 | 7,0 | 350              | 48,0       | 20,38 €    |

Dimensions in mm

## Our other products



MEB

Moulded plastic bevel gear (nylon), 1:1



ADL\_M

Male eye bolt conforms to DIN580, Steel



KB\_WW

Closed linear precision bearing, Economy range



ZG2

Plastic spur gear, Machined plastic (delrin)



SMS

Spiral bevel gear, 1:1



KB\_OP

Open precision linear bearing, Precision - steel



PWC

Powercoil thread inserts, Kit Powercoil - with or without insertion ...



EMAS

Antistatic knurled nut, Antistatic



PSG25

Spur gear - precision range, Pre-hardened



CHAR

Spring hinge, screwed



CFS

Miniature cam follower, Miniature



SLB

Indexing plunger, steel class 5.8

## Complementary products



PLA

Flat magnet, Flat magnet with threaded hole



PLA

Flat magnet, Flat magnet with thread