



Idler sprocket for plate chain

For chain range 881 TAB

PR881

- For use with CAP881T/SS plate chains
- Materials:
Reinforced polyamide
Stainless steel screws
- Operating temp.: -10°C to +120°C
- For dimensions and bore tolerances,
please refer to technical pages

Advantage


- Two part design facilitates easy assembly



Easy assembly



Two part design



DISCOUNTS

Qty	1+	5+	10+
Disc.	List	-5%	On request

Part number	No. of teeth	ØDE	ØDP	Bore ØA	Weight (kg)	Price each 1 to 4
PR881-21-25	21	129	129,26	25	0,37	29,91 €
PR881-21-30	21	129	129,26	30	0,37	29,91 €
PR881-21-35	21	129	129,26	35	0,37	29,91 €
PR881-21-40	21	129	129,26	40	0,37	29,91 €
PR881-21-45	21	129	129,26	45	0,37	29,91 €
PR881-23-25	23	141	141,22	25	0,44	31,05 €
PR881-23-30	23	141	141,22	30	0,44	31,05 €
PR881-23-35	23	141	141,22	35	0,44	31,05 €
PR881-23-40	23	141	141,22	40	0,44	31,05 €
PR881-23-45	23	141	141,22	45	0,44	31,05 €
PR881-25-25	25	153	153,20	25	0,49	32,61 €
PR881-25-30	25	153	153,20	30	0,49	32,61 €
PR881-25-35	25	153	153,20	35	0,49	32,61 €
PR881-25-40	25	153	153,20	40	0,49	32,61 €
PR881-25-45	25	153	153,20	45	0,49	32,61 €

Dimensions in mm


Our other products



M0
Worm and wheel set,
Hardened steel



METEB
Self-lubricating
blanks, Bronze BP25



B
Steel bevel gear, 1:1



CLB_M
Die cast zinc clamping
lever - female, Zamak



PPOss
Pad eye on mounting
plate oval, Stainless
steel



H0
Crossed helical gear
crossed axis at 90°,
Steel 20NCD2



DB
Steel bevel gear, 2:1



RURp
Wheel pivoting with
plate, Polyurethane -
Aluminium rim (Free
running)



DBL821
Idler for slat top
chain, Range 821



PCM
Fixed cylindrical
handle, Fixed non-
turning handle



NAST
Cam follower without
axial guide, With
interior ring



SSG1
Stainless steel spur
gear, Stainless steel
304L

Complementary products



CAP881
Side flexing slim slat
top chain stainless
steel, Narrow range
881



PT881
Drive sprocket for slat
top chain, Range 881