Floway2® roller track and basic support

RAG-FLOW2

Principal of operation



- The Floway-2® roller track allows storage systems to be created for plastic boxes or cardboard cartons

Support

- For easy installation of roller tracks
- Suitable for use in gravity feed conveyors
- Material:


Electro-galvanised steel

Assembly

- Slide the roller track into the end support
- Position the complete assembly on the supporting structure
- Track can be locked in place using a screw (tapped hole to be drilled on site)



Basic support





Support with stop





条弧 Floway2® roller track and basic support

For transporting and storage

RAG-FLOW2



- Chromed steel auide
- (no deformation under load) - Rollers rotate on steel axles
- Colour: Black

Special Features - The possibility of being able to stagger

- oller track Basic SUPDON

the position of the rails increases the performance Ø25 22.4. of the system 34 25 Roller 30.4 track (2x) Ø6.8 10 10 Basic RAG-FLOW2-B RAG-FI OW2-A

DISCOUNTS Roller track DISCOUNTS Basic support

		_		01	101	Q.C		001		1001
Roller track		Di	sc. Prix	-5%	On request	Disc.	Prix	-5%	On	request
				ngth	N° of		load	Sto	ck*	Price each
Part number	P1	P2	L	with rol	ler rollers	per roll	ler (ko	1)	·	1 à 4
RAG-FLOW2-1000	35	41	1000 ±1	980	34	1	0		/	24,51 €

Part number	ı	Descri	iption	Thi	ckness	Weight (q)	Stock*	Price each 1 à 49
Basic support								
RAG-FLOW2-2000	35	33 2	2046 ±1	2016	70	10	V	40,33 €
TIMAT LOWE 1000	00		1000 ±1	300		10		27,01 C

Support with stop *Subject to available stocks - Dimensions in mm

Basic support



124

141



8,16€

8.16 €

RAG-FLOW2-A

RAG-FLOW2-B

2

2

Our other products



Steel spur gear, Steel 20NCD2



Lock for aluminium profile, Lock for sliding doors



Worm and wheel gear reducer, up to 5 Nm



V- rail guidance Simple Select® system, Rail with carriage



Magnetic stud with central hole, With central hole



Linear table, For small lengths



Indexing plunger, stainless steel



Stainless steel garnet hinge, To be welded



Sleeve for splined ball shaft, Chariot - from



Crossed helical gear crossed axis at 90°,



Flexible Bellows coupling, Aluminium



Steel bevel gear, 2:1

Complementary products



Floway2® Roller track accessory, Roller track support



Roller guide,



Cylindrical brush track, For gentle conveying and handling