

Floway2® roller track and basic support

RAG- FLOW2

Principal of operation




- The Floway2® roller track allows storage systems to be created for plastic boxes or cardboard cartons

Support



- For easy installation of roller tracks
- Suitable for use in gravity feed conveyors
- Material:
 - Electro-galvanised steel

Assembly

- Slide the roller track into the end support
- Position the complete assembly on the supporting structure
- Track can be locked in place using a screw (tapped hole to be drilled on site)



Basic support



Support with stop




For transporting and storage

RAG-FLOW2

- **High density polyethylene roller**
- **Chromed steel guide**
(no deformation under load)
- **Rollers rotate on steel axles**
- **Colour: Black**

Special Features

- The possibility of being able to stagger the position of the rails increases the performance of the system



RAG-FLOW2-A

RAG-FLOW2-B

DISCOUNTS Roller track **DISCOUNTS Basic support**

			Qté	1+	5+	10+	Qté	1+	50+	100+
Roller track			Disc.	Prix	-5%	On request	Disc.	Prix	-5%	On request
Part number	P1	P2	Length with roller		N° of rollers	Max load per roller (kg)	Stock*	Price each 1 à 4		
RAG-FLOW2-1000	35	41	1000 ±1		980	34	10	✓	24,51 €	
RAG-FLOW2-2000	35	33	2046 ±1		2016	70	10	✓	40,33 €	
Basic support										
Part number	Description		Thickness		Weight (g)	Stock*	Price each 1 à 49			
RAG-FLOW2-A	Basic support		2		124	✓	8,16 €			
RAG-FLOW2-B	Support with stop		2		141	-	8,16 €			

**Subject to available stocks - Dimensions in mm*

Our other products



CHAFR-MINI
Miniature friction
hinge, Friction



APBC
Circular rod, Round
rod



RPCtcss
Swivel castor with
central hole, Stainless
steel - Polyamide



LRX
Linear roller slide, Rail
- from 9410 N to
101000 N



BAC105
Storage bin, 8mm



VTH
Hexagonal headed
bolts, Steel class 8.8



BPHT
Ball transfer unit bolt
fitting, Heavy



CMM_SS
Male rod ends DIN
ISO12240-4, Stainless
steel / bronze -
Economy range



PP35
Worm and wheel gear
reducer, from 2.20 to
10000



BIM
Indexing plunger mini,
miniature



M1
Worm and wheel set,
Non hardened steel



TS01_TW01
Drylin® T linear slide,
up to 7000 N

Complementary products



RAGFLOWsupport
Floway2® Roller track
accessory, Roller
track support



RAG
Roller guide,



RAGb
Cylindrical brush
track, For gentle
conveying and
handling