

Floway2® roller track and basic support

RAG- FLOW2

Principal of operation




- The Floway-2® roller track allows storage systems to be created for plastic boxes or cardboard cartons

Support



- For easy installation of roller tracks
- Suitable for use in gravity feed conveyors
- Material:
Electro-galvanised steel

Assembly

- Slide the roller track into the end support
- Position the complete assembly on the supporting structure
- Track can be locked in place using a screw (tapped hole to be drilled on site)



Basic support



Support with stop



Floway2® roller track and basic support




For transporting and storage

RAG-FLOW2

- **High density polyethylene roller**
- Chromed steel guide (no deformation under load)
- Rollers rotate on steel axles
- Colour: Black

Special Features

- The possibility of being able to stagger the position of the rails increases the performance of the system



RAG-FLOW2-A

RAG-FLOW2-B

DISCOUNTS Roller track

DISCOUNTS Basic support

Qté	1+	5+	10+
Disc.	Prix	-5%	On request

Qté	1+	50+	100+
Disc.	Prix	-5%	On request

Roller track


Part number	P1	P2	L	Length with roller rollers	N° of	Max load per roller (kg)	Stock*	Price each
RAG-FLOW2-1000	35	41	1000 ±1	980	34	10	✓	24,51 €
RAG-FLOW2-2000	35	33	2046 ±1	2016	70	10	✓	40,33 €

Basic support

Part number	Description	Thickness	Weight (g)	Stock*	Price each
RAG-FLOW2-A	Basic support	2	124	✓	8,16 €
RAG-FLOW2-B	Support with stop	2	141	-	8,16 €

*Subject to available stocks - Dimensions in mm

Our other products



AFM

Flanged polymer bush, Food grade polymer



LFM2

Steel leadscrew, Medium carbon steel - 2 threads



MHX

Hexagonal threaded sleeve, Hexagonal - stainless steel



NDS20

Double cross clamp, Crossed



PDD

Actuating plunger, Non-rotating detector shaft



QNUP

Single row cylindrical roller bearing, 1 fixed inner flange and 1 fr...



PNA

PERIFLEX® elastic coupling, Complete coupling



BAC110

Swivel storage bin, Storage bin



PRF3232

Standard aluminium profile, 32 x 32 mm



SA_SAKH

Housing for linear bearing, Closed - light



BH02

Single housed bearing assembly, Bearing



ATZY

Diabolo shaped elasto mount, Steel

Complementary products



RAGFLOWsupport

Floway2® Roller track accessory, Roller track support



RAG

Roller guide,



RAGb

Cylindrical brush track, For gentle conveying and handling