

Floway2® roller track and basic support

RAG-
FLOW2

Principal of operation




- The Floway2® roller track allows storage systems to be created for plastic boxes or cardboard cartons

Support



- For easy installation of roller tracks
- Suitable for use in gravity feed conveyors
- Material:
Electro-galvanised steel

Assembly

- Slide the roller track into the end support
- Position the complete assembly on the supporting structure
- Track can be locked in place using a screw (tapped hole to be drilled on site)



Basic support



Support with stop



Floway2® roller track and basic support


For transporting and storage

RAG-FLOW2

- High density polyethylene roller
- Chromed steel guide (no deformation under load)
- Rollers rotate on steel axes
- Colour: Black

Special Features

- The possibility of being able to stagger the position of the rails increases the performance of the system



RAG-FLOW2-A

RAG-FLOW2-B

DISCOUNTS Roller track DISCOUNTS Basic support

Roller track

Qté	1+	5+	10+
Disc.	Prix -5%	On request	On request

Part number	P1	P2	Length L	N° of rollers	Max load per roller (kg)	Stock*	Price each 1 à 4
RAG-FLOW2-1000	35	41	1000 ±1	980	34	10	✓ 24,51 €
RAG-FLOW2-2000	35	33	2046 ±1	2016	70	10	✓ 40,33 €

Basic support

Part number	Description	Thickness	Weight (g)	Stock*	Price each 1 à 49
RAG-FLOW2-A	Basic support	2	124	✓	8,16 €
RAG-FLOW2-B	Support with stop	2	141	-	8,16 €

*Subject to available stocks - Dimensions in mm

Our other products



PSG2
Spur gear - precision range, Case hardened steel 20NCD2



RBGtc
Swivel castor with central hole, Steel - grey rubber



PSG1
Spur gear - precision range, Pre-hardened Steel 35NCD6



NKX
Combined bearing without inner ring, Needle and ball bearings




PLM-20SC
Cylindrical magnet, Cylindrical magnet



PTA100ssEB
Articulated foot with sheet metal base Ø100, Articulated foot



SCA_SS
Stainless steel flat cable clamp, Stainless steel



GBMz
Cylindrical ballscrew nut, Cylindrical nut - Multiple starts



BSB
Ballscrew bearing unit, Support



PPF
Indexing plunger with flange, with drilled



DOMI50
Accessories, Turntable



PR40
Articulated foot Ø40, Ø 40

Complementary products



RAGFLOWsupport
Floway2® Roller track accessory, Roller track support