# Floway2® roller track and basic support

## RAG-FLOW2

## Principal of operation



- ***The Floway-2® roller track allows storage systems to be created for plastic boxes or cardboard cartons***

### Support

- *For easy installation of roller tracks*
- *Suitable for use in gravity feed conveyors*
- *Material:*
  *Electro-galvanised steel*

### Assembly

- *Slide the roller track into the end support*
- *Position the complete assembly on the supporting structure*
- *Track can be locked in place using a screw (tapped hole to be drilled on site)*



**Basic support**






**Support with stop**

# Floway2® roller track and basic support

## For transporting and storage

# RAG-FLOW2

- ***High density polyethylene roller***
- *Chromed steel guide (no deformation under load)*
- *Rollers rotate on steel axles*
- *Colour: Black*




## Special Features

- *The possibility of being able to stagger the position of the rails increases the performance of the system*










## DISCOUNTS Roller track

| Qté | 1+ | 5+ | 10+ |
|---|---|---|---|
| Disc. | Prix | -5% | On request |

## DISCOUNTS Basic support

| Qté | 1+ | 50+ | 100+ |
|---|---|---|---|
| Disc. | Prix | -5% | On request |

**Roller track**

| Part number | P1 | P2 | L | Length with roller | N° of rollers | Max load per roller (kg) | Stock* | Price each 1 à 4 |
|---|---|---|---|---|---|---|---|---|
| RAG-FLOW2-1000 | 35 | 41 | 1000 ±1 | 980 | 34 | 10 | ✔ | 24,51 € |
| RAG-FLOW2-2000 | 35 | 33 | 2046 ±1 | 2016 | 70 | 10 | ✔ | 40,33 € |

**Basic support**

| Part number | Description | Thickness | Weight (g) | Stock* | Price each 1 à 49 |
|---|---|---|---|---|---|
| RAG-FLOW2-A | Basic support | 2 | 124 | ✔ | 8,16 € |
| RAG-FLOW2-B | Support with stop | 2 | 141 | - | 8,16 € |

**Subject to available stocks - Dimensions in mm*


**Tel. +33(0)4 37 496 496** **cial2@hpceurope.com**

# Our other products




Adjustable cross clamp, Adjustable




Detectable plastic palm grip, blue thermoplastic




Knurled knob - female, Knurled - blind




Hexagonal nut DIN934, Steel (Class 6|8|)




Asynchronous AC motorgearboxes 0.37 to 1.5kW, 0.37 to 1.5kW




Angular connector, Universal angular connector




T type timing pulley, Economy range - T5 aluminium




Drylin® W slide, slide assembly




Hitch pin, Hitch




Utilitak® V rail, V rail




Connecting plate for RPP type timing belts,




Symmetrical S shaped hook, Steel

## Complementary products




Floway2® roller track, Roller track




Cylindrical brush track, For gentle conveying and handling