

# Floway2® roller track and basic support

RAG-  
FLOW2

Principal of operation




- The Floway2® roller track allows storage systems to be created for plastic boxes or cardboard cartons

## Support



- For easy installation of roller tracks
- Suitable for use in gravity feed conveyors
- Material:  
Electro-galvanised steel

## Assembly

- Slide the roller track into the end support
- Position the complete assembly on the supporting structure
- Track can be locked in place using a screw (tapped hole to be drilled on site)



Basic support



Support with stop




## For transporting and storage

## RAG-FLOW2

- **High density polyethylene roller**
- **Chromed steel guide**  
(no deformation under load)
- **Rollers rotate on steel axles**
- **Colour: Black**

## Special Features

- The possibility of being able to stagger the position of the rails increases the performance of the system



RAG-FLOW2-A

RAG-FLOW2-B

**DISCOUNTS Roller track** **DISCOUNTS Basic support**

			Qté	1+	5+	10+	Qté	1+	50+	100+
Roller track			Disc.	Prix	-5%	On request	Disc.	Prix	-5%	On request
Part number	P1	P2	Length		N° of	Max load	Stock*	Price each		
			L	with roller	rollers	per roller (kg)		1 à 4		
RAG-FLOW2-1000	35	41	1000 ±1	980	34	10	✓	24,51 €		
RAG-FLOW2-2000	35	33	2046 ±1	2016	70	10	✓	40,33 €		
Basic support										
Part number	Description		Thickness		Weight	Stock*	Price each			
					(g)		1 à 49			
RAG-FLOW2-A	Basic support		2		124	✓	8,16 €			
RAG-FLOW2-B	Support with stop		2		141	-	8,16 €			


*\*Subject to available stocks - Dimensions in mm*

## Our other products



TPEbpd

Castor for aluminium profile, Swivel with brake



PM3

Worm and wheel set, Machined plastic (delrin)



GPB55

Threaded spherical knob, Stainless steel 304



COA-COG

Surface mounting plate, Surface mounting plate for ball joint



AT5M AT10M

AT type timing belt per metre, AT10 Steel cored polyurethane



PP35

Worm and wheel gear reducer, from 2.20 to 4.10 Nm



VEL

Self-gripping cable strip, electric and pneumatic cables



LR

Precision locknut, Precision locknut




PRF\_FIX\_STD

Fastener for aluminium profile, Standard fastener



MSP3815

Masterplate® glueable insert rectangular,



PO

Pull handle - Multi-sector, Tapped recessed insert



BPFL

Sheet steel flanged bearing for light loads, Sheet steel

## Complementary products



RAGFLOW

Floway2® roller track, Roller track



RAGb

Cylindrical brush track, For gentle conveying and handling