

Floway2® roller track and basic support

RAG- FLOW2

Principal of operation



- The Floway-2® roller track allows storage systems to be created for plastic boxes or cardboard cartons

Support



- For easy installation of roller tracks
- Suitable for use in gravity feed conveyors
- Material:
Electro-galvanised steel

Assembly

- Slide the roller track into the end support
- Position the complete assembly on the supporting structure
- Track can be locked in place using a screw (tapped hole to be drilled on site)



Basic support



Support with stop



Floway2® roller track and basic support

For transporting and storage

RAG-FLOW2


- High density polyethylene roller
- Chromed steel guide (no deformation under load)
- Rollers rotate on steel axles
- Colour: Black

Special Features


- The possibility of being able to stagger the position of the rails increases the performance of the system



Roller track




Basic support



RAG-FLOW2-A

Support with stop



RAG-FLOW2-B

DISCOUNTS Roller track DISCOUNTS Basic support

Qté	1+	5+	10+	Qté	1+	50+	100+
Disc. Prix	-5%	On request	On request	Disc. Prix	-5%	On request	On request

Roller track


Part number	P1	P2	Length L	N° of with roller rollers	Max load per roller (kg)	Stock*	Price each 1 à 4
RAG-FLOW2-1000	35	41	1000 ±1	980	34	10	✓ 24,51 €
RAG-FLOW2-2000	35	33	2046 ±1	2016	70	10	✓ 40,33 €

Basic support

Part number	Description	Thickness	Weight (g)	Stock*	Price each 1 à 49
RAG-FLOW2-A	Basic support	2	124	✓	8,16 €
RAG-FLOW2-B	Support with stop	2	141	-	8,16 €

*Subject to available stocks - Dimensions in mm

Our other products



T2

T type timing belt,
T2.5 Steel cored
polyurethane



GP

Spring loaded toggle
latch, Standard



PSG05HC

Skive hobbed spur
gears - precision
range, Case hardened
steel 20NCD2



WFRM

Flanged polymer nut,
Polymer (Iglidur®) - 1
thread



DBC

Panamech, Multi-
Beam, Aluminium -
with clamping jaw



LRRss

Latch, Spring loaded
latch - stainless steel



COA-COG

Surface mounting
plate, Surface
mounting plate for
ball joint



CLLCLLP

Clevis components,
long version, Steel -
long version



GPB

Threaded spherical
knob, With brass



R203

Die spring ISO10243,
Light



BEF

Bearing housing for
miniature ballscrew,



GE

Toggle latches,
Miniature

Complementary products



RAGFLOW

Floway2® roller track,
Roller track



RAGb

Cylindrical brush
track, For gentle
conveying and
handling