








- Material: hard anodised aluminium
- Standard length: 1000mm
- Option:** Other lengths available (up to 4000mm)
- For **WJUM10** and **WJRM10** bearing blocks



WS10



WS10-40



WS10-80

DISCOUNTS

Qty	1+	5+	10+	15+	20+
Disc.	List	-10%	-15%	-20%	On request

Part number	Length L (mm)	Max. length L (mm)	C5 mini	C5 maxi	Iy (mm ⁴)	Iz (mm ⁴)	Wby (mm ³)	Wbz (mm ³)	Weight (kg/m)	Stock ¹	Price each 1 to 4
WS10	1000	4000	20	79,5	19000	2850	1000	310	0,62	✓	70,03 €
WS10-40	1000	4000	20	79,5	91000	5100	3600	590	1,00	✓	102,89 €
WS10-80	1000	4000	20	79,5	388000	6100	9200	650	1,50	✓	171,38 €

*Depending on availability - Dimensions in mm

Our other products



SH1

Parallel axis helical gear, Machined plastic (delrin)



GPB55

Threaded spherical knob, Aluminium



TCXR

Automatic chain tensioner, With steel sprocket



EKGS

Backlash free coupling Gerwah®, from 0.5 to 35Nm



RCC_RCX

Spherical tilt washer - DIN6319, concave



BKGS

Backlash free coupling Gerwah®, from 1.2 to 450Nm



PRF_JL2

Lip seal for panel, Door seal - Ø 2mm



NIN

Self-locking nut, A2 Stainless steel



OPFL_OPPM

Numerical counter accessories,



CLG2

Moulded plastic spur gear, Moulded plastic



PARF110

Pressed steel base rigid foot, Swivelling



TB_ECO

Eco. range steel bevel gear, 3:1

Complementary products



WJUM10

Drylin® W bearing block, Slide



WW10

Drylin® W slide, slide assembly



WJRM

Drylin® W hybrid bearing block, Hybrid bearings