








- Material: hard anodised aluminium
- Standard length: 1000mm
- Option:** Other lengths available (up to 4000mm)
- For **WJUM10** and **WJRM10** bearing blocks



WS10



WS10-40



WS10-80


DISCOUNTS

Qty	1+	5+	10+	15+	20+
Disc.	List	-10%	-15%	-20%	On request

Part number	Length L (mm)	Max. length L (mm)	C5 mini	C5 maxi	Iy (mm ⁴)	Iz (mm ⁴)	Wby (mm ³)	Wbz (mm ³)	Weight (kg/m)	Stock [*]	Price each 1 to 4
WS10	1000	4000	20	79,5	19000	2850	1000	310	0,62	✓	70,03 €
WS10-40	1000	4000	20	79,5	91000	5100	3600	590	1,00	✓	102,89 €
WS10-80	1000	4000	20	79,5	388000	6100	9200	650	1,50	✓	171,38 €

*Depending on availability - Dimensions in mm

Our other products




M0
Worm and wheel set,
Machined plastic
(delrin)



PAT85
Pressed stainless
steel articulating foot
Ø85, Ø 85



PR40
Articulated foot Ø50,
Ø 50



PB
Plastic deep groove
ball bearing, Plastic -
balls material :
stainle...



VEL
Self-gripping cable
strip, electric and
pneumatic cables




PRF_BM
Base support plate for
aluminium profile,
Central base fixation



ACLBT5
Closing system for
aluminium profile,
Spacer for spherical
ended stop



EIM
Stainless steel U bolt,
Stainless steel




M1
Worm and wheel set,
Machined plastic



BPVMss
Stainless steel
miniature ball transfer



TK_UUOP
Topball self-aligning
linear bearing, Topball



CHB
Worm and wheel gear
reducer, up to 22 Nm

Complementary products



WJUM10
Drylin® W bearing
block, Slide



WW10
Drylin® W slide, slide
assembly



WJRM
Drylin® W hybrid
bearing block, Hybrid
bearings